Belco Development Corporation

Belco

February 15, 1983

Bureau of Land Management Oil and Gas Operations 2000 Administration Building 1745 West 1700 South Salt Lake City, Utah 84078

> SUBJECT: Applications for Permit to Drill

Chapita Wells Unit 233-15 Chapita Wells Unit 234-23 Uintah County, Utah

Dear Sirs,

Attached for your approval are the Applications for Permit to Drill the above two subject wells proposed for drilling in the Chapita Wells Unit of Uintah County, Utah in the spring of this year.

Kathy Knutson Engineering Clerk

/kk attachments

cc: Division of OII, Gas & Mining

Belco Houston Belco Denver

Files

DIVISION OF OIL GAS & MINING

Form approved. Budget Bureau No. 42-R1425.

(Other instructions on reverse side) UNITED STATES THE INTERIOR STATES

5.	LEASE	DESIGNATION	AND	SERIAL	NO.
	11-	በ2ጸ3ል			

	DEPARTMENT	i di iliriti	2 PASSANTALIA	•	O. LEASE DESIGNATION	AND SWAIAD NO.
	GEOLO	GICAL SURVEY	L KEREIAER		U-0283A	
A DDL ICATION			EPEN, OR PLUG	BACK	6. IF INDIAN, ALLOTTEI	OR TRIBE NAME
APPLICATION	Y FOR FERINIII	O DINIEL, DI	4.62 1001 - 100			
1a. TYPE OF WORK	LL 🔼 X	DEEDEN [T LAKE CITYPLUG BA	CK 🗆	7. UNIT AGREEMENT N	AME .
	LL Live	DECI EIV	LI LARL CIT III LOC LI		CHAPITA WE	LLS UNIT
OIL GA	ELL XX OTHER	: · · · · · · · · · · · · · · · · · · ·	SINGLE XX MULT.	IPLE _	8. FARM OR LEASE NAI	(F
2. NAME OF OPERATOR						·
BELCO DEVE	LOPMENT CORPORA	TION			9. WELL NO.	
3. ADDRESS OF OPERATOR					233-15	: :
P.O. BOX X	, VERNAL, UTAH	84078		<u> </u>	10. FIELD AND POOL, C	R WILDCAT
4. LOCATION OF WELL (R.	eport location clearly and	in accordance with	any State requirements.*)		WASATCH	*
At surface				7	11. SEC., T., R., M., OR	BLK.
	981' FSL SE/S	E		•••	AND 222-22	
At proposed prod. zon SAME	e		-		SEC 15, T9	
14. DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OR POST	office*		12. COUNTY OR PARISH	1
16.2 MILES	SOUTHEAST OF C	URAY, UTAH			UINTAH	UTAH
15. DISTANCE FROM PROPO	SED*		16. NO. OF ACRES IN LEASE		OF ACRES ASSIGNED HIS WELL	\$ · ·
LOCATION TO NEAREST PROPERTY OR LEASE I	INE. FT.				160	
(Also to nearest drig 18. DISTANCE FROM PROP			19. PROPOSED DEPTH	20. ROTA	RY OR CABLE TOOLS	1 -
TO NEAREST WELL, DOR APPLIED FOR, ON THE	RILLING, COMPLETED,		7050'		ROTARY	
21. ELEVATIONS (Show who		1			22. APPROX. DATE WO	RK WILL START*
4885 NATU				· · · · · · · · · · · · · · · · · · ·	APRIL 1, 19	83
23.		PROPOSED CASING	AND CEMENTING PROG	RAM		
<u></u>					QUANTITY OF CEME	NT
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOO		200 -		
17 1/2"	13 3/8"	54.5#	+ 200'		x class "G" ce	
7 7/8"	4 1/2"	11.6#	+6835'		00 sx 50-50 po	
1			Sutficient	o prote	ct all product	ive

SEE ATTACHMENTS FOR:

10 POINT PROGRAM 13 POINT SURFACE USE PLAN LOCATION PLAT LOCATION LAYOUT SHEET DIAGRAMS "A" AND "B" TOPO MAPS "A" AND "B" AREA WELLS MAP

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. 24.

DATE February 15, 1983

(This space for Federal or State office use)

PERMIT NO.

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

E. W. Guynn District Oil & Gas Supervisor

APR 1 4 1983


FLARING OR VENTING OF DATED 1/1/80 NTL 4A

NOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY

Lata Oda

T 9 S, R 22 E, S.L.B.& M.



X = Section Corners Located

PROJECT

BELCO DEVELOPMENT CORP.

Well location, CHAPITA WELLS # 233 - 15, located as shown in the SE 1/4 SE1/4 Section 15, T9 S, R 22E, S.L.B.& M. Uintah County, Utah.



THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR REGISTRATION Nº 3154

UINTAH ENGINEERING & LAND SURYEYING
P.O. BOX Q ~ 85 SOUTH ~ 200 EAST
VERNAL, UTAH ~ 84078

SCALE " = 1000'	DATE 12 /4 /82
R.T. T.J. S	B. REFERENCES GLO Plat
WEATHER Clear & Cold	FILE BELCO

CHAPITA WELLS UNIT 233-15 10 POINT PROGRAM

1. GEOLOGIC SURFACE FORMATION

Uinta formation of the upper Eocene Age.

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS

Uinta Surface Green River 1270' Wasatch 4820'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS

Green River 1270' - 4820' Oil shale Zone Wasatch 4820' - TD Possible Gas

4. PROPOSED CASING PROGRAM

13 3/8" 54.5# K-55 csg set @ 200', cmted to surface w/200 sx class "G" cement.

4 1/2" 11.6# K-55 csg set @6835', cement w/min of 900 sx 50-50 poz-mix to adequately protect all productive intervals.

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL

The operators minimum specifications for pressure control equipment are as follows: 10", 3000 PSI hydraulic doublegate BOP or equivalent. Pressure tests of BOP to 1000 PSI will be made prior to drilling surface plug and on each trip for bit.

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS

It is proposed that the hole will be drilled to approximately \pm 4500' with 3% KCL H₂O as necessary in order to clean the hole. From 4500' to TD it is planned to drill the well with mud. The mud system will be a water based, gel-chemical mud, weighted up to 10.5 ppg as required for gas control.

7. AUXILIARY EQUIPMENT TO BE USED

Auxiliary equipment to be used will be a 2", 2000 PSI choke manifold and kill line, stabbing valve, kelly cock and visual mud monitoring.

8. TESTING, LOGGING AND CORING PROGRAMS


No coring or drill stem testing has been scheduled for this well. Logging will consist of Dll, CNL, FDC w/Caliper & Cyberlook.

9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURES

It is not anticipated that abnormal hazards such as high pressures, temperatures or gas will be encountered.

10. ANTICIPATED STARTING DATE AND DURATION OF OPERATIONS

Anticipated starting date is April 1, 1983 Drilling operations should be complete approximately 4 weeks from the date they commence.



Belco Development Corporation Well No. 233-15 Section 15, T. 9 S., R. 22 E. Uintah County, Utah Chapita Wells Unit Lease U-0283 A

Supplemental Stipulations

- 1) Traveling off access road right-of-ways will not be allowed. The maximum width of access pads (both existing and planned) will be 30 feet total disturbed area. Roads will be crowned and properly maintained. Turn-outs will not be required. Bar ditches will be installed where necessary.
- 2) Burn pits will not be constructed. There will be no burning or burying of trash or garbage at the well site. Refuse must be contained in trash cages and hauled to an approved disposal site.
- 3) A wire mesh or net type of fence, topped with at least one strand of barbed wire, will be used around the reserve pits.
- 4) The BLM will be contacted at least 24 hours prior to any rehabilitation activities. The operator may be informed of any additional needed seeding requirements.
- 5) The dimension of the reserve pits for this location will be 65 feet by 100 feet unless specified.
- 6) The top four to six inches of topsoil will be stockpiled between reference stakes No. 7 and No. 8.
- 7) All permanent (onsite for six (6) months duration or longer) structures constructed or installed, including the pumpjack and covering over tank insulation, shall be painted a flat, non-reflective, earth tone color to match Themec 23-08351 Mesa Brown Enduratone or an approved equal. All facilities shall be painted within six (6) months of when the production facilities are put in place. Facilities that are required to comply with O.S.H.A. (Occupational Safety and Health Act) standards are excluded.
- 8) Color stipulation choice may vary depending on location.
- 9) Adequate and sufficient electric/radioactive logs will be run to locate and identify the prime oil shale horizons and gilsonite in the Mahogany Zone of the Green River formation. Casing and cementing programs will be adjusted to eliminate any potential influence of the well bore or productive hydrocarbon zones on the oil shale and gilsonite resources. Surface casing program may require adjustment for protection of fresh water aquifers. (See attached tentative casing and cementing program for the Uinta Basin.)



United States Department of the Interior

Conservation Division 2000 Administration Building 1745 West 1700 South Salt Lake City, Utah 84104

February 2, 1981

General Outline for the Protection and Isolation of Ground Water and Oil Shale in the Uinta Basin.

The oil shale occurs with varying thicknesses in most parts of the Uinta Basin and at varying depths. Ground water also occurs at varied depths above and below the Oil Shale. These ground waters have varying degrees of salinity. Nonetheless, drilling for hydrocarbon in the Uinta Basin should provide for the protection of the oil shale and the ground water if either is present.

The protection of the oil shale and the ground water can effectively be carried on through the design of an adequate casing and cementing program for each well drilled in the area.

In the Uinta Basin, water occurs mainly in the Uinta and the Green River formations. As drilling for hydrocarbon gets deeper into the crust of the earth, more ground water might be encountered and will be protected as it is encountered.

This notice's purpose is to attempt to lay the groundwork for a casing program and cementing program that will protect the oil shale and the ground water if present.

These programs are to be considered as guidelines. The specificity of casing depth, amount of cement and the depth of staging collars will be considered on an individual basis after a careful study of the logs of each individual well. Cementing from the bottom up is an economical solution if carefully conducted.

The casing and cementing program presented here as an example, will assume that fresh water was encountered in the upper parts of the Green River, that the oil shale occurs in the middle of the Green River (1000 foot section) and that some ground water is encountered in the lower parts of the Green River.

In this case, three areas will have to be cemented to assure the integrity of the ground water and oil shale. These areas are above the upper fresh water, across the oil shale and below the lower water aquifer. Deep aquifers that do not contain useful water are cemented to prevent water zone influence on production.

The following casing and cementing program will be appropriate for this example:

A. Surface casing is set at approximately 300 feet and cemented to the surface.

The next casing string will be set at approximately 300 feet В. below the lowest aguifer. Cementing will be done in three stages, using two stage collars and cement baskets or equivalent as described below and on attached sketches: Cement first stage through the casing shoe to fill annulus 1. back to base of lower aguifer. 2. Place 1st stage collar (with cement basket immediately below) at a selected point at the base of the oil shale. Cement will have to reach top of oil shale. 3. Place 2nd stage collar (with cement basket immediately below) 50 feet above the top of the Bird's Nest aquifer and cement to at least 300 feet above the stage collar. С. The above is an example. Reasonable equivalents that accomplish these same protective measures, (such as cementing the water zones instead of isolating them), depending on the individual cases will be considered for approval. When the above mentioned well is to be abandoned, inner-casing D. plugs will have to be placed at the same depth as the above mentioned annulus cement jobs. The use of cement bond logs will verify the authenticity of the cement job

performed.

E. The Operator of such well should notify U.S.G.S. 48 hours prior to commencement of casing and cementing activity, so a technician could be dispatched to witness the operations to verify compliance with casing and cementing program.

Attached Sketches:

- ٦. Schematic of the required casing and cementing program.
- 2. Cross section of the Uinta Basin.
- Schematic of the general ground water protection program. 3.

E. W. Guynn District Oil and Gas Supervisor

AMR/kr




Figure 5.- View east of cross section of Uinta Basin showing stratigraphy and interconguing of Tertiary rocks. Ute Tribal-1 (in section) is located about 8 miles southeast of the application area.

Uinta formation BIRDS NEST AQUIFER HORSEBENCH SANDSTONE GREEN RIVER OIL SHALE ZONE DOUGLAS CREEK AQUIFER LIHESTONE & SANDSTONE

NO SCALE

CEMENT BASKET IS PLACED 50' ABOVE TOP AQUIFER CEMENT TO RISE AT LEAST 300' IN ANNULUS

STAGE COLLAR -CEMENT BASKET

CEMENT BASKET IS SET AT

CONSOLIDATED SECTION AT THE

BASE OF THE OIL SHALE FONE.

CEMENT TO REACH THE TOP

OF THE MAHOGANY FONE

CEMENT WILL REACH BASE
OF LOWER ROUIFER

modificate strongerous run indonetion incilities

Your Application for Perent to Drill also included submittal for production facilities. These production facilities are approved for the lessee and his designated operator under Section 1 of the Oil and Gas Lease with the following conditions:

- (1) The oil and gas measurement facilities must be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy are to be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. Please provide this office with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports are to be submitted to the Salt Lake City District Oil and Gas Supervisor. Royalty payments will be made on all production volume as determined by the meter measurements or the tank measurements. All measurement facilities must conform with the API standards for liquid hydrocarbons and the AGA standard for natural gas measurement.
- (2) Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs must be housed and/or fenced.
 - (3) All disturbed areas not required for operations will be rehabilitated.
- (4) All produced liquids must be contained including the dehydrator vent/condensate line effluent. All production pits must be fenced.
- (5) The well activity, the well status and the date the well is placed on production must be reported on Lessee's Monthly Report of Operations, Furm 9-329.
- (6) All off-lease storage, off-lease measurement, or commingling on lease or off-lease must have written approval.
- (7) All product lines entering and leaving hydrocarbon storage tanks must be locked/sealed.
- (8) You are reminded of the requirements for handling, storing, or disposing of water produced from oil and gas wells under NTL-2B.
- (9) All materials, trash, junk, debris, etc. not required for production must be removed from the well site and production facility site at the completion of these operations.
- (10) A copy of the Gas Sales Contract will be provided to this office and the Royalty Accounting Department as directed.
- (11) Construction and maintenance for surface use approved under this plan should be in accordance with the surface use standards as set forth in the BLM/GS Oil and Gas Brochure entitled, "Surface Operating Standards for Oil and Gas Exploration and Development." This includes, but is not limited to, such items as road construction and maintenance, handling of top soil and rehabilitation.
- (12) "Sundry Notice and Reports on Wells" (form 9-331) will be filed for all changes of plans and other operations in accordance with 30 CFR 221.58. Emergency approval may be obtained verbally, but such approval does not waive the written report requirement. Any additional construction, reconstruction, or alternations of facilities, including roads, gathering lines, batteries, measurement facilities, etc., will require the filing of a suitable plan and prior approval by the survey.

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

(Other instruction on reverse side)

Form approved. Budget Bureau No. 42-R1425.

UNITED STATES DEPARTMENT OF THE INTERIOR

198	DEPARTMEN	T OF THE IN	TERIOR			5. LEASE	DESIGNATI	ION AND SERIAL	NO.
•		OGICAL SURVE				- E-	0283Å		
A DDL ICATION	I FOR PERMIT			PLUGR	ACK			TEE OR TRIBE N	IAMB
	TOR PERIMIT	10 DRILL, DI	LLI LIA, OK	LOO D			÷ §	= 0 £	
1a. TYPE OF WORK	LL 🗀X	DEEPEN [PL	UG BAC	K 🗌	7. UNIT	AGREEMEN:	r name=	
b. TYPE OF WELL						сн	APITÁ	WELLS UN	IT L
OIL GA	ELL XX OTHER		ZONE XX	MULTIPL ZONE		8. FARM	OR LEASE		
2. NAME OF OPERATOR					37	E E E	E in	ondi ondi	· · ·
BELCO DEVE	LOPMENT CORPOR	ATION			<u>;</u>	9. WELL		n rot Conce Conce	
3. ADDRESS OF OPERATOR					8		3-15€		
P.O. BOX X	, VERNAL, UTAH	84078				NATU	AND POO	L, OB WILDCAT	
4. LOCATION OF WELL (Re	eport location clearly an	d in accordance with	any State requiren	ienus.~)	्रमू	11 spc	SAIGH-	35	
873' FEL &	981' FSL SE/	SE					T., R., M., SURVEY OF		
At proposed prod. zone					<u>.</u>			TOCE DOO	
SAME		A TOWN MOUTH OR DOOM	OBBIGHE.		<u></u>		A	T9S, R221	
14. DISTANCE IN MILES A			OFFICE		-	2 G	NTAH E	UTAI	
	SOUTHEAST OF		16. NO. OF ACRES I	N LEASE !	17 NO 4	OF ACRES A		TE OTAL	
15. DISTANCE FROM PROPU LOCATION TO NEAREST	?		10. No. OF ACEDS 1	N DBBB		HIS WELL	5 3		
PROPERTY OR LEASE L (Also to nearest drlg	. unit line, if any)	·	10	- sul	20 1000	<u></u>	160	<u> </u>	
18. DISTANCE FROM PROP TO NEAREST WELL, DI	RILLING, COMPLETED,		7050 T	185A	20. RUTA	RY OR CAB	ño 🚁	E f h	
OR APPLIED FOR, ON THI			7050 '	יוען	<u> </u>	1 22 AP	ROTA	RY WORK WILL S	TART*
21. ELEVATIONS (Show who					900	의 보호		를 가 되는 다.	
4885' NATU	RAL GL					-l APR	IL 1,	1983	
23.		PROPOSED CASING	G AND CEMENTIN	NG PROGRA	м :		<u> </u>		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOO	OT SETTING	DEPTH	7 1	<u> </u>	TITY OF CE		
17 1/2"	13 3/8"	54.5#	+20	00'	200 s	x clas	s "G"	cement ?	
7 7/8"	4 1/2"	11.6#	+683					poz-mix,	<u>-</u>
				cient to					•
		1	zones,	, includ	ing al	1 oil	shale	zones	<u>.</u>
								FXE	
						를 통법 :	_ = = = = = = = = = = = = = = = = = = =	F F E	
	· · · · · · · · · · · · · · · · · · ·						100		
SEE AT	TACHMENTS FOR:					新 夏基	1 25		
		o norum nnooi	D.434		\$	S 2 3	# # £		
		O POINT PROGE			* *		10 mg		
		3 POINT SURFA	ACE USE PLAN	¥	2		5 1		
		OCATION PLAT	יים כטבטיי		<u>; </u>	₹ 1 5 5		4 5 6 4 4 8 6	
		OCATION LAYOU		AF	PRO	VËÐ I	IY TH	REFATI	
		OPO MAPS "A"		- 1	OFU	PALL I			
						AS A	MA	Service .	
		REA WELLS MA	r		TE.		- 7	2 3 3	? ,
	•			יטי	.51		25	011	-/-
				B)	140	The s		ZIM	
IN ABOVE SPACE DESCRIBE	e PROPOSED PROGRAM: I drill or deepen direction	f proposal is to deepe mally, give pertinent	en or plug back, giv data on subsurface	re data on pr e locations an	esen y pro-	ed and true	e vertical d	posed new pro- lepths. Give t	lowout
preventer program, if an					<u>.</u>	<u> 3 9 3 </u>	15 1 E	<u> </u>	<u> </u>
24.	2								
SIGNED /	ell	TITI	DISTRIC	r ENGINE	ER F	<u>도 출</u> 등 6	ATE Feb	ruary_15,	1983
$\mathcal{L}_{\mathcal{L}}$	and an State office rest						<u> </u>	<u> </u>	
(This space for Fede	eral or State office use)				78. 1.	1 5 10 10 10 10 10 10 10 10 10 10 10 10 10		. 변요합. 참 참 다	
PERMIT NO.		·	APPROVAL DA	TE	-	数 2 2 2 3		<u>요한민</u> 년 보류기업	
					7	, and 1			

13 POINT SURFACE USE PLAN

1. EXISTING ROADS

The proposed wellsite is located 873' FEL & 981' FSL, SE/SE Section 15, T9S, R22E, Uintah County, Utah. This location is approximately 16.2 miles south east of Ouray, Utah. Refer to the attached Topo Maps for directions to the wellsite. Access to the proposed well will be over existing county roads and Belco's planned access road. Traveling will be restricted to these roads only. See attached maps for all roads within this vicinity.

2. PLANNED ACCESS ROAD

See attached Topo Map "B" for details of access road. The access road will be a minimum 18' crown road with ditches along either side where it is determined necessary to handle runoff. Maximum disturbed area will not exceed 24'. There will be no need for turnoffs so the disturbed area can be kept to a minimum. Maximum grade of this proposed access road will not exceed 3%. No fences will be crossed, therefore no cattle guards will be needed. Surfacing material will be of the native borrow from the cut area. No other materials for construction are anticipated at this time.

LOCATION OF EXISTING WELLS

See the attached area well map for locations of all wells in this vicinity.

4. LOCATION OF EXISTING AND PROPOSED FACILITIES

Existing production facilities within one mile of the proposed well are the tank batteries and production equipment for the surrounding wells.

The attached diagram "A" shows the proposed production facilities to be utilized should this well produce gas. All production equipment owned and controlled by Belco will be kept of the pad. Production tanks shall be painted a flat, non-reflective, earth tone color that will blend with the environment. Construction materials will be of native borrow or cut exposed on the site and will be consistent with accepted oilfield standards and good engineering practices. A three strand barbed wire fence will be constructed and maintained in good order around the disposal pit during the drilling and completion phases of the well. When these pits are no longer needed or within 90 days, they will be allowed to dry and then covered over with native borrow material and rehabilitated to conform with the surrounding area. Guard rails will be constructed around the wellhead to prevent access to any livestock or wildlife in the area. The remaining pad not needed for producing operations will be recontoured to conform with the natural grade and rehabilitated as per surface owners specifications.

5. LOCATION AND TYPE OF WATER SUPPLY

Water for the drilling of this well will be obtained from the White River at a point near the Mountain Fuel bridge in Section 17, T9S, R22E of Uintah County, Utah. Water will be hauled by truck over existing county roads and Belco's planned access road. No new roads will be needed for this purpose. No pipelines will be needed, no water well drilled. No produced water is anticipated. A permit for use of this water will be obtained from the Ute Tribe prior to starting drilling operations.

6. SOURCE OF CONSTRUCTION MATERIALS

All construction materials for this location and access road will be of native borrow and soil accumulated during the construction of the location. No additional materials are anticipated at this time.

7. METHODS OF HANDLING WASTE DISPOSAL

Drill cuttings, drilling fluids, salts, chemicals and produced fluids will be disposed of in the reserve pit on the location pad. This reserve pit will be fully lined and upon completion of the drilling activities will be fenced on the open side to protect all domestic animals and wildlife. This pit will be utilized during the completion phase of the well for storage of produced fluids. A portable toilet will be provided for human waste during the drilling phase of the well. Carbage and other waste materials will be contained in a wire mesh cage and disposed of in an approved waste disposal facility. After the drilling rig moves off the site, all remaining trash and garbage will be collected and hauled away by truck.

8. ANCILLARY FACILITIES

No airstrips or camps are planned for this well.

9. WELLSITE LAYOUT

The attached Location Layout sheet shows the cross section of the pad with details of cuts and fills. Location of the reserve pit, pipe racks and excess cut stockpile are also shown.

10. PLANS FOR SURFACE RESTORATION

Restoration activities shall commence no later than 90 days after completion of this well. Completion activities shall last no longer than 90 days. All reserve pits will be allowed to dry then backfilled. Any areas not needed for producing operations will be restored to as near their original contour as is feasible. After production activities have ceased, or if abandonment is required, all drainages rerouted during the construction of the well will be restored to their original line of flow. The location pad and access road will be reshaped; stockpiled topsoil will be redistributed over the area and then the entire area will be reseeded with a seed mixture recommended by the surface management agency at a time of the year when the moisture content of the soil is adequate for seed germination.

11. OTHER INFORMATION

The surrounding area is relatively flat with a few stabilized sand dunes in the area. The soil is a light brown sandy clay, 4 to 6" topsoil. This location is fairly brushy, vegetation consists of native grasses and sagebrush. The only wildlife apparent in the area are small rodents, reptiles and birds. All lands concerned with this proposed location are controlled by the BLM. Livestock grazing and mineral exploration are the only known surface use activities. There are no known archeological or cultural sites in this vicinity, there are no occupied dwellings near this wellsite. There is no water near this wellsite.

12. LESSEE REPRESENTATIVE

Belco Development Corporation's representative for this operation will be Mr. J. C. Ball, District Engineer, P.O. Box X, Vernal, Utah, 84078. The telephone contact number is 801-789-0790.

13. CERTIFICATION

I hereby certify that I, or persons under my direct supervision have inspected this drillsite and access road; that I am familiar with the conditions which presently exist, that the statements made herein are to the best of my knowledge true and correct; and that the work associated with the operations herein proposed will be performed by Belco Development Corporation, it's contractors and subcontractors in conformity with this plan and the terms and conditions under which is is approved.

DATE Z-15-8-3

J. C. Ball District Engineer

BELCO DEVELOPMENT CORPORATION

WELL NAME

CHAPITA WELLS UNIT 233-15








DIAGRAM B
BELCO DEVELOPMENT CORPORATION
BOP DESIGN






BELCO DEVELOPMENT CORP. CHAPITA WELLS# 233-15







OPERATOR <u>Beles Nevelops</u>	nent Corp.	DATE 2/17/83
WELL NAME Chapita Wil	le Unit #233-1.	5
SEC <u>SESE 15</u> T <u>95</u>	R 22E COU	NTY Winted
43-047-31320 API NUMBER		TYPE OF LEASE
POSTING CHECK OFF:		
INDEX	HL	
NID	PI	
MAP		
PROCESSING COMMENTS:		
PJKV		
APPROVAL LETTER:	1 00	
SPACING: A-3 Chapita UNIT	, Wells	CAUSE NO. & DATE
c-3-b		c-3-c
SPECIAL LANGUAGE: Inacial	attention is	brected to compliance
with the	rder issued	in cause # 190-5
dale x 1-27	-23 union	specifice dullung
sucedures	for oil sha	le designation
areas.	<u>U</u>	

			. •			
	RECONCILE WELL NAME AND LOCATION ON APD AGAINST	SAME	DATA	ON	PLAT	MAP
	AUTHENTICATE LEASE AND OPERATOR INFORMATION					
L	VERIFY ADEQUATE AND PROPER BONDING FC					
4	AUTHENTICATE IF SITE IS IN A NAMED FIELD, ETC.					÷
	APPLY SPACING CONSIDERATION					
	ORDER				•	
	INIT Chapita Wells					
	c-3-b					
	c-3-c					
	OUTSTANDING OR OVERDUE REPORTS FOR OTHER WELLS	OF TH	E OPE	RAT	OR.	
	IF POTASH DESIGNATED AREA, SPECIAL LANGUAGE ON	APPRO	VAL L	EM	ER	
M	OIL SHALE					

۲.

横

February 22, 1983

Belco Deveopment Corporation P. O. Box X Wernal, Utah 84078

RE: Well No. Chapita Wells Unit 233-15

SESE Sec.15, T.9S, R.22E Uintah County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to gas well is hereby granted in accordance with Section 40-6-11, Utah Code Annotated 1953; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure. Special attention is directed to compliance with the order issued in Cause #190-5 dated January 27, 1983 wich specifies drilling procedures for oil shale designated areas.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

RONALD J. FIRTH - Engineer

CLEON B. FEIGHT - Director

Office: 533-5771 Home: 571-6068 OR

Office: 533-5771

Home: 466-4455

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-047-31320.

Sincerely,

of form

Norman C. Stout

Administrative Assistant

NCS/as

cc: Oil & Gas Operations

Enclosure

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION


NAME OF COMPANY:	ğelco	
WELL NAME: Char	piea Wells 233-15	
SECTION SESE 15 TOWN	SHIP 9S RANGE 22	2E COUNTY Uintah
DRILLING CONTRACTOR		
RIG #		
SPUDDED: DATE 8-20-	-83	
TIME 4:00	PM	
HowDry H	Hole Spud	Control of the contro
DRILLING WILL COMMENCE		
REPORTED BY Kath	Knudsen	
TELEPHONE #	-0790	
		The second secon
DΔTF 8-22-83	SIG	NFT) AS

NOTICE Company: AUG 3 4 1983 Caller: DIVISION OF . Phone: L. GAS & MINING Well Number: Location: Their to State: Lease Number: 71-0282 P Lease Expiration Date: Unit Name (If Applicable): Date & Time Spudded: 8-20-83 4:00Pm Dry Hole Spudder/Rotary: Details of Spud (Hole, Casing, Cement, etc.) Rotary Rig Name & Number: Approximate Date Rotary Moves In: 2 2000 FOLLOW WITH SUNDRY NOTICE Call Received By:

Date:

Belco Development Corporation

Belco



DIVISION OF OIL, GAS & MINING

August 23, 198**3**

Bureau of Land Management Oil and Gas Operations 2000 Administration Building 1745 West 1700 South Salt Lake City, Utah 84104

SUBJECT:

Notice of Spud

Chapita Wells Unit 233-15

Uintah County, Utah

Dear Sirs,

Attached is the Notice of Spud for the above referenced well. Currently this well is waiting on the rotary rig for drilling operations to commence. It is expected that J. B. Roden Rig #5 will be on location early next week.

Very truly yours,

Kathy Knutson

Engineering Clerk

/kk

attachments

cc: Division of Oil, Gas & Mining

Houston Denver Files

UNITED STATES


٠		Bu	dget	Bureau	No.	42-R142
_	11:3					
• 1	A C C					

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY	5. LEASE U-0283A 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME CHAPITA WELLS UNIT
1. oil gas well XX other 2. NAME OF OPERATOR	8. FARM OR LEASE NAME 9. WELL NO. 233–15
BELCO DEVELOPMENT CORPORATION 3. ADDRESS OF OPERATOR P.O. BOX X, VERNAL, UTAH 84078	10. FIELD OR WILDCAT NAME 11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 873' FEI. & 981 FSI.	AREA SEC 15, T9S, R22E 12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: SAME AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	UINTAH UTAH 14. API NO. 43-047-31320
REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	15. ELEVATIONS (SHOW DF, KDB, AND WD) 4885' NAT GL
TEST WATER SHUT-OFF	(NOTE: Report results of multiple completion or zone
PULL OR ALTER CASING	change on Form 9–330.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state	e all pertinent details, and give pertinent dates,
including estimated date of starting any proposed work. If well is di measured and true vertical depths for all markers and zones pertinen WELL WAS SPUDDED AT 4:00 P.M., 8-20-83 BY	
WAS DRILLED TO 210'. 6 JOINTS OF 13 3/8" WAS SET AT 203.75 AND CEMENTED WITH 250 SA WELL IS CURRENTLY WAITING ON J. B. RODEN A BEGIN. RIG SHOULD BE ON LOCATION BY THE I	, 54.5#, K-55 CASING ACKS CLASS "G" CEMENT. RIG #5 FOR DRILLING TO
NOTICE OF SPUD WAS CALLED TO DELORIS WITH THE STATE ON 8-22-83	

Subsurface Safety Valve: Manu. and Type Set @ 18. I hereby certify that the foregoing is true and correct ENG CLERK 8-23-83 DATE

(This space for Federal or State office use)

*See Instructions on Reverse Side



UNITED STATES

UNITED STATES	5. LEASE
DEPARTMENT OF THE INTERIOR	U-0283A
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
CHAIDDY MOTIOCO AND DEDODTO ON MICHO	7. UNIT AGREEMENT NAME
SUNDRY NOTICES AND REPORTS ON WELLS	CHAPITA WELLS UNIT
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)	8. FARM OR LEASE NAME
1 011	C. TAILE ON ELASE TAME
1. oil gas	9. WELL NO. \$
2. NAME OF OPERATOR	233-15
BELCO DEVELOPMENT CORPORATION	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	
P.O. BOX X, VERNAL, UTAH 84078	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA
below.)	SEC 15, T9S, R22E
AT SURFACE: 873' FEL & 981' FSL'	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	UINTAH UTAH
SAME	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	43-047-31320
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	4885' NAT GL
TEST WATER SHUT-OFF	
FRACTURE TREAT	
SHOOT OR ACIDIZE	
REPAIR WELL	(NOTE: Report results of multiple completion or zone
PULL OR ALTER CASING	change on Form 9–330.)
MULTIPLE COMPLETE CHANGE ZONES	
ARANDON*	
(other) STATUS REPORT	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is di measured and true vertical depths for all markers and zones pertinen	rectionally drilled give subsurface locations and
9-7-83: WELL WAS DRILLED TO 6835' AND TD'	
CURRENTLY LOGS ARE BEING RUN AND	4 1/2" PRODUCTION CASING
WILL BE SET AT TD.	
	河
- FAENVE	<u> </u>
	.
)

DIV. OF OIL, GAS & MI Subsurface Safety Valve: Manu. and Type Set @ 18. I hereby certify that the foregoing 2s true and correct > ENG CLERK 9-7-83 DATE (This space for Federal or State office use) APPROVED BY DATE CONDITIONS OF APPROVAL, IF ANY:

- 2.
- 4.
- The pit is approx 20' x 20', tapering to approx 15' x 15', with a depth of approx 5 feet.

Subsurface Safety Valve: Manu.	and Type			Set @	· · · · · · · · · · · · · · · · · · ·	Ft.
18. I hereby certify that the fores	going is true and corre	ect				
18. I hereby certify that the forest	utson TITLE	ENGINEERING	CLERK DATE	10-3-83		
7	(This space	for Federal or State o	ffice use)	*		_
APPROVED BY	TITLE	·	DATE			

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUBMIT IN DUPLICA

Form approved. Budget Bureau No. 42-R355.5.

(See ot. n-structions on reverse side) 5. LEASE DESIGNATION AND SERIAL NO.

U-0283A

WELL CO	MPLETION	1 OR	RECO	MPLETI	ION I	REPORT	AN	العمير D		0. 12 1		011 211	
1a. TYPE OF WEL	.L: 01	ELL	GAS WELL	y pı	RY 🔲	Other	1	W/		7. UNIT AGRE	EMENT	NAME	
b. TYPE OF COM				4			TE.	U	M'	CHADI	ጥለ ፒመ	ELLS UN	י אודים.
WELLXX		EEP-	PLUG BACK	DIFF RES	vr.	0			<u>3_\\\</u>	S FARM OR	LEASE N	IAME	X-1-1
P.O. BO 4. LOCATION OF WE At top prod. int S. At total depth	ron	····,· · · · · · · · · · · · · · · · ·		1				14		100			
BELCO D	EVELOPMEN:	COR	PORATIO	N			$\frac{\partial C_{j}}{\partial C_{j}}$		a MI	O. WELL NO.			
3. ADDRESS OF OPE	RATOR				•	11111	•	GA	50	233-1	5	<u> </u>	
P.O. BO	X X, VERNA	L, U	FAH 840	278			/	المال		10. FIELD AN	D POOL,	OR WILDC	AT
4. LOCATION OF WE	LL (Keport local	ion eleai	riy ana in	gccoraunce :	with an	y state voju ir	1.0	8)		CWU - 11. SEC., T., I	Wasa	tch	D DIIIUMV
8	73 FEL &	981.	FSL		_		\leq		1	OR AREA	t,, at., O	, block an	DHORVET
At top prod. int	erval reported t AME	elow		Š		ر ساد						•	
At total depth	ET.IT.			6 6						CEC 1	E mr	o noc) TI
Sa	AME		, 1	14. PEI	RMIT NO.		DATE	ISSUED	·	12. COUNTY C)R	S R22	TE TE
	٠.	÷		43	-047-	31320	2-	22-83		UINTA		UTA	
15. date spudded . 8-20-83 DR	16. DATE T.D.	REACHEL	17, DAT	COMPL. (Ready to	o prod.) 18.	ELEV	ATIONS (D	F, RKB, I	RT, GR, ETC.)*		EV. CASING	N 1
8-29-83 RT	1 9-6-	83		9-29-				488	5' NA	T GL		391' KE	
20. TOTAL DEPTH, MD	& TVD 21. PL			(TVD 22.	IF MUL HOW M	TIPLE COMPL., ANY*		23. INTI DRII	ERVALS LED BY	ROTARY TOOL	.8 1	CABLE I	COLS
6835' 24. PRODUCING INTER		679	2						<u>→ </u>	ALL	<u> </u>		AMIANA
24. PRODUCING INTE	IVAL(S), OF THI	S COMPL	ETION—TO	R, BOTTOM,	NAME (A	4D AND TVD)*		1		***	20.	WAS DIRECTORY M	
B-11 C	-11 & C-7	7000	of th	De Wees	tch	(5507 (601	1			NO		
26. TYPE ELECTRIC A									Mar	locator		S WELL CC	RID
	,(6838-220		DC-CN	GR w	/cal	(6838-30	00'), Cal	GR (3000 -220	0')	NO	
28.						ort all strings							
CASING SIZE	WEIGHT, LB	/FT.	DEPTH S			LE SIZE			ENTING	RECORD		AMOUNT I	PULLED
13 3/8"	54.5#									"G" cemer	nt	NONE	
4 1/2"	11.6#		6837	KB	11"	& 7 7/8	23	00 sx	50-50	poz-mix	-	NONE	
			į										
			5					19	,				t .
29.			RECORD			****		30.		UBING RECO		· · · · · · · · · · · · · · · · · · ·	
SIZE	TOP (MD)	BOTTO	M (MD)	SACKS CE	MENT*	SCREEN (MI) .	SIZE,		DEPTH SET (MI	2)	PACKER SE	T (MD)
N/A	·····		\$ - 1	<u> </u>		***************************************	-	2 3/8		6634'		N/A	
31. PERFORATION REC	ORD (Interval.	ize and	number) 5			32.	1 A CT	D CHOT	PD A COT	URE, CEMENT	COTTE	mera rang	
		74	0,	1.1		DEPTH INT				OUNT AND KIND			
	5766 66		§.			5537-66			ſ	Fluid:4			
		19	j.			-	,			Sand: 7:			
5543	5770 66	21	র বুল কুল					····		millicu			
5545	5772 TO	TAL F	IOLES 🗓	4					(C-7	zone tool	fra	ic)	
33.*			¥Ŷ			OUCTION							şi.
DATE FIRST PRODUCT	ION PROI		· 8	Flowing, go	e lift, pi	ımping—size (and ty	pe of pun	ıp)	WELL :	TATUS	(Producing	g or
9-28-83			LOWING	:		· · · · · · · · · · · · · · · · · · ·	······	1 17 4		SI	HUT I		
9-28-83	HOURS TESTED		10ke size 17/64	PROD'N TEST 1	PERIOD	OIL—BBL.		GAS—MC		WATER—BBL.	G	AS-OIL RAT	10
FLOW. TUBING PRESS.	CASING PRESSI	RE CA	LCULATED	OILB	BL.	GAS1		12.4	WATER-	-RBL.	OIL GRA	VITY-API (CORR.)
625	750	ļ. }			····		54.	5					<u> </u>
34. DISPOSITION OF G		r Juel, v	ented, etc.)) †		•				TEST WITNES			
VENTED I			<u>}</u>		·					R. 1	<u>. SC</u>	HATZ	
CBL LOG			5) 2) ()				•						1
36. I hereby certify	that the forego	ng and	attached i	nformation	is comp	lete and corre	ct as	determine	ed from	all available re	cords		
	1	5/	0	-0 "	/			**					
SIGNED	acry		uu	100 Min	LE E	NGINEERI	NG (CLERK		DATE	10	-3-83	

*(See Instructions and Spaces for Additional Data on Reverse Side)

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies: to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.
If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments

should be listed on this form, see item 35.

| It there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements.

or Federal office for specific instructions,

lem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Hems 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval. Consult local State

Hem 29: "Sacks Cement": Attached supplemental records for this well show the details of any multiple stage cementing and the location of the cementing tool. Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

TRUE VERT. DEPTH TOP MEAS. DEPTH GEOLOGIC MARKERS Surface 1485 4820' Green Rive Wasatch Vinta NAME 38 37. SUMMARY OF POROUS ZONES:
SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING
DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES DESCRIPTION, CONTENTS, ETC. BOTTOM TOP FORMATION



.MI

AND THE PARTY OF T

er tra

UNITED STA	ATES [E LEACE
DEPARTMENT OF TH	•	5. LEASE U-0283A
GEOLOGICAL	, , <i>i</i>	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND R (Do not use this form for proposals to drill of to reservoir, Use Form 9-331-C for such proposals.		7. UNIT AGREEMENT NAME CHAPITA WELLS UNIT
1. oil gas XX other		8. FARM OR LEASE NAME 9. WELL NO.
2. NAME OF OPERATOR BELCO DEVELOPMENT CORPO	ORATI@N	233-15 10. FIELD OR WILDCAT NAME
3, ADDRESS OF OPERATOR P.O. BOX X, VERNAL, UTA		11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCA below.)	ATION GLEARLY. See space 17	AREA SEC 15, T9S, R22E
AT SURFACE: 873 FET & 981 AT TOP PROD. INTERVAL: 4981 AT TOTAL DEPTH:	' FSL	12. COUNTY OR PARISH 13. STATE UINTAH UTAH 14. API NO.
16, CHECK APPROPRIATE BOX TO NI	DICATE NATURE OF NOTICE,	43-047-31320 15. ELEVATIONS (SHOW DF, KDB, AND WD)
	SUBSEQUENT REPORT OF:	4889' NAT GL
TEST WATER SHUT-OFF U FRACTURE TREAT SHOOT OR ACIDIZE		
REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES		(NOTE: Report results of multiple completion or zone change on Form 9–330.)
ABANDON* (other) STATUS REPORT	<u>. U</u>	
17. DESCRIBE PROPOSED OR COMPLE including estimated date of starting measured and true vertical depths for	any proposed work. If well is di	e all pertinent details, and give pertinent dates, rectionally drilled, give subsurface locations and to this work.)*
STATUS 10-10-83: SHUT	IN WAITING ON INITIAL	PRODUCTION.
		EGEIVE
		OCT 1 3 1983
		IV. OF OIL, GAS & MINING
Subsurface Safety Valve: Manu. and Type	9	Set @ Ft.
18. I hereby certify that the foregoing is	true and correct	

ENG CLERK

(This space for Federal or State office use)

10-10-83

DATE

Form Approved. Budget Bureau No. 42-R1424

UNITED STATES		Budget	Bureau No. 42-R1424
	5. LEASE		
DEPARTMENT OF THE INTERIOR	<u>U-</u> 0283A	7	
GEOLOGICAL SURVEY		ALLOTTEE	R TRIBE NAME
		LEGITE O	THIDE AMIL
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGRE		16
(Do not use this form for presents to will be			
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331—C for such proposals.)	CHAPITA WE		
	8. FARM OR L	EASE NAME	
1. oil gas		5 x 2 0 0	
XX	9. WELL NO.	용제공화 **	0
2. NAME OF OPERATOR	233-15	- 5 m	, , , , , , , , , , , , , , , , , , ,
BELCO DEVELOPMENT CORPORATION	10. FIELD OR W	/II DCAT NAN	1E
3. ADDRESS OF OPERATOR		TESON INA	/1 L _
P.O. Box X, Vernal, Utah 84078	11 CEC T D	34 05 614	
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA	, M., UR BLK	AND SURVEY OF
below.)			
	<u>SEC 15, T9</u>	S, R22E	
AT SURFACE: 873 FEL & 981 FSL AT TOP PROD. INTERVAL:	12. COUNTY OF	RPARISH 1:	3. STATE
AT TOTAL DEPTH:	_UINTAH		UTAH
	14. API NO.	6 9 9 4	
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	43-047-313	00	名 引擎 ·
REPORT, OR OTHER DATA			
	15. ELEVATION	s (SHOW DI	F, KDB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	4885' NAT	GL; ≅,	<u> </u>
TEST WATER SHUT-OFF			
FRACTURE TREAT			·
SHOOT OR ACIDIZE			<u> </u>
REPAIR WELL		10	
PULL OR ALTER CASING T	(NOTE: Report re	sults of multip	le completion or zone
MULTIPLE COMPLETE	change o	n. Form .9–330.)
CHANGE ZONES	•		£ 2 a 10 €
ABANDON*	•		
(other) STATUS REPORT	*	and the second	
		11 1 4 14	李 ·克姆·金尔·瓦
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is directly the starting any proposed work.	all pertinent det	aile and aiv	o portinget deter
including estimated date of starting any proposed work. If well is dir	ectionally drilled.	give subsurf	ace locations and
including estimated date of starting any proposed work. If well is dir measured and true vertical depths for all markers and zones pertinent	to this work.)*	-:	· · · · · · · · · · · · · · · · · · ·
	•		
OM4 11 0 00 00 00 00 00 00 00 00 00 00 00 0			
STATUS 11-8-83: SHUT IN WAITING ON INITIAL	PRODUCTION		
	-		
	Ty :		
	4		
	€ 9		
1.	v.		
	<u>.</u>		
		•	
	4		
Subsurface Safety Valve: Manu. and Type	• •	C -4 C	
		Set @ _	Ft.
18. I hereby cerdify that the foregoing is true and correct			
X The Table of the Control of the Co	. i k		
SIGNED ALLY MULEN TITLE ENG CLERK	DATE1	l - 8-83	<u>. 4 - 4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -</u>
/Thin (F. L.)		- 1	
(This space for Federal or State office	use)	18	
APPROVED BY TITLE	DATE		
CONDITIONS OF APPROVAL, IF ANY:	DAIL		

Belco Development Corporation

Belco

December 8, 1983

Bureau of Land Management Vernal District 170 South 500 East Vernal, Utah 84078

SUBJECT: Report of Initial Production

Chapita Wells Unit 233-15

Uintah County, Utah

Dear Sirs,

Attached, in triplicate, is the Sundry Notice reporting first gas sales on the above subject well. This well began delivering gas to Mountain Fuel on December 7, 1983. All future well reports will be on production form 9-329.


Very truly yours,

Kathy Knutson Engineering Clerk

/kk attachments

cc: Division of Oil, Gas & Mining

Houston Denver Files



DIVISION OF Oil, GAS & MINING

Form Approved.		
Budget Bureau No. 42-R14		

Form 9–331 Dec. 1973	Form Approved. Budget Bureau No. 42-R1424		
UNITED STATES	5. LEASE		
DEPARTMENT OF THE INTERIOR	II=0283A		
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME		
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	CHAPITA WELLS UNIT		
reservoir, Use Form 9-331-C for such proposals.)	8. FARM OR LEASE NAME		
1. oil gas	<u> </u>		
well well XX other	9. WELL NO.		
2. NAME OF OPERATOR	233-15		
BELCO DEVELOPMENT CORPORATION	10. FIELD OR WILDCAT NAME		
3. ADDRESS OF OPERATOR			
P.O. BOX X, VERNAL, UTAH 84078	11. SEC., T., R., M., OR BLK. AND SURVEY OR		
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA		
below.) AT SURFACE: 873' FEL & 981' FSL	SECTION 15, T9S, R22E		
AT TOP PROD. INTERVAL:	12. COUNTY OR PARISH 13. STATE UINTAH UTAH		
AT TOTAL DEPTH: SAME			
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE.	14. API NO. 43-047-31320-		
REPORT, OR OTHER DATA			
	15. ELEVATIONS (SHOW DF, KDB, AND WD) 4885' NAT GL		
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:			
TEST WATER SHUT-OFF			
FRACTURE TREAT			
SHOOT OR ACIDIZE			
REPAIR WELL PULL OR ALTER CASING	(NOTE: Report results of multiple completion or zone change on Form 9–330.)		
MULTIPLE COMPLETE	Similar on your second		
CHANGE ZONES			
ABANDON*			
(other) INITIAL PRODUCTION			
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is dimeasured and true vertical depths for all markers and zones pertinent	irectionally drilled, give subsurface locations and		
Well was turned to Mountain Fuel for gas sal	es at 1:30 p.m.,		
December 7, 1983. Well made 1004 MCF, TP-19	00, CP-2025, Stat 7.5,		
DIFF 6.5, on $14/64$ choke, meter run 2" x 1".			
All future reports of this well will appear 9-329.	on Production Form		
DE	GEIVE		
	DFC - 8 1981		
Subsurface Safety Valve: Manu. and Type	FOIL, GAS & MINING 9 1983 Ft.		
and increase of the fact of th	DIVISION OF		
SIGNED Attly / Nutsow TITLE Eng Clerk	DATE		

DATE

(This space for Federal or State office use)

_ TITLE .

Form 3160-5 (November 1983) (Formerly 9-331)	DEPARTME C	STATES OF THE INTER ND MANAGEMEN		PLICATE	Expires Augus 5. LEASE DESIGNATION U-0283A	No. 1004-0135 t 31, 1985 N AND SELLE NO.
SUI	NDRY NOTICES A le form for proposale to drill um "APPLICATION FOR	ND REPORTS or to deepen or plus PERMIT—" for seek	ON WELLS back to a different reser proposals.)	voir.	6. IF IMPIAN, ALLOTT	IE OR TRIBE HANS
I					T. UNIT AGREEMBNT N	
OIL OAD WELL	DE OTHER				CHAPITA WE	LLS UNIT
2. HAME OF OPERATOR					S. PARM OR LEADS WA	MB
BELC	O DEVELOPMENT COR	PORATION				
3. ADDRESS OF OPERAT	OB				233-15	
P.O.	BOX X, VERNAL, U	TAH 84078	State Pagnirements		10. PIBLD AND POOL,	OR WILDCAT
See also space 17 3	(Report socation clearly and selow.)	in secolosner with an	, but tellanemen.			
At surface SE/S	F			1	11. 82C., P., R., M., CO	BLE. AND
52,5					AURYDY CE ARI	
					SEC 15, T9	S R22E
14. PERMIT NO. 43-0	47-31320 15. BLEV.	ations (Show whether I	P, 87, 30, etc.)		UINTAH	UTAH
16.	Cheek Appropriate	Roy To Indicate	Nature of Notice, Re	port, or O	ther Data	
	HOTICE OF INTENTION TO:		1		NT EMPORT OF:	
TEST WATER SHUT	<u> </u>		WATER SHUT-OF		Depairing Altering	
PRACTURE TREAT	MULTIPLE (OXPLETE	SHOOTING OR AC		ABANDONM	
SHOOT OR ACIDIES	CHANGE PL	ANS	(Other)			
	SUMPTION OF PRODUC		(Note: Re Completion	port results of or Recomple	of multiple completion tion Report and Log f	on Well orm.)
• SALE RESI DIST	WILL ADVISE YOU SE AFTER BEING SHUMED PRODUCTION WATERICT ON THIS DATE MBER 12, 1984.	T IN FOR 90 CALLED TO B	R MORE DAYS. ENNA WITH THE I	ORAL NOT BLM, VERI	TICE OF .	
				-		
				I L	NOV 1 6 1984] NG
				₹ DIV	OIL, GAS, MINI	THE SATISFACE
10 Y banks	hat the foregoing is true and	correct				
	thy Trutes		ENGINEERING C	LERK	_ DATE_11-	13-84
(This space for F	oderal or State office use)					
APPROVED BY _ CONDITIONS OF	APPROVAL, IF ANY:	Title			DATE	

*See Instructions on Reverse Side

SUBMIT	INT	RIPLICATE*	
		ructions on	
	ers)	: side)	

		OF OIL, GAS, AND	MINING			U-0283A	AND SERIAL NO
		AND REPORT or to deepen or per per per minute.		/Fileh			
				V Rose Veni	7. UNI	A THEMSES A	AMB
FAME OF OPERATOR	OTHER		NOV 1.9.1	985	B. PAR	CHAPITA	WELLS
						CHAPITA	WELLS
BELCO DEVE	LOPMENT CORP	<u>' </u>	DIVISION	Jr OII	9. WEL		WILLIO
א עס א א	VERNAL, UT	TAU 80/.78	GAS & MII			233-15	
OCATION OF WELL (Re lee also space 17 below	port location clearly	and in accordance with	any State requiremen	ts.*	10. PH	BLD AND POOL,	DR WILDCAT
					11. ab	C., T., R., M., OR SURVEY OR ARE	BLE. AND
SE/SE	· · · · · · · · · · · · · · · · · · ·						, T9S, R22
BRMIT NO.	1	BLEVATIONS (Show wheth	her DF, RT, GR, etc.)		13. CO	UNTY OR PARIS UITNAH	UTAH
43-047-31	320	·		·	1	OTTUM	1 VIAI
	Check Approp	onate Box To Indica	rte Nature of Notic	ce, Report, o	r Other D	ata	
	PETCH OF INTENTION	20:		8034	PRODUKT BEL	PORT OF:	
TRET WATER SHUT-OF	PULL	OR ALTER CABING	WATER ST	1U 1-0FF		REPAIRING	WBLL
PRACTURE TREAT		IPLB COMPLETE	PRACTURE	TREATMENT		ALTERING (CABINO
SHOOT OR ACIDIES	ABAND	oon•	SHOOTING	OR ACIDIZING		MANDONME	BHT*
REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If		ons (Clearly state all per drilled, give subsurface	(Other) (No ('on tinent details, and gi	TE: Report resupletion or Recovery	ults of mult impletion Re ites, includir rtical depths	iple completion port and Log for all marke	orm.) ate of starting ors and sones pe
(Other) DESCRIBE PROPOSED OR Proposed work. If ment to this work.) This is t	COMPLETED OPERATION well is directionally on advise that	ons (Clearly state all per drilled, give subsurface	(No Con trinent details, and gi- locations and measur	ve pertinent da ed and true ve	tes, includir rtical depthi	ng estimated da s for all marke	te of starting or and sones pe
(Other) DESCRIBE PROPOSED OR proposed work. If ment to this work.)	COMPLETED OPERATION well is directionally on advise that	ons (Clearly state all per drilled, give subsurface	(No Con trinent details, and gi- locations and measur	ve pertinent da ed and true ve	tes, includir rtical depthi	ng estimated da s for all marke	te of starting or and sones pe
(Other) DESCRIBE PROPOSED OR proposed work. If ment to this work.) This is t	COMPLETED OPERATION well is directionally on advise that	ons (Clearly state all per drilled, give subsurface	(No Con trinent details, and gi- locations and measur	ve pertinent da ed and true ve	tes, includir rtical depthi	ng estimated da s for all marke	te of starting or and sones pe
(Other) ESCRIBE PROPOSED OR Proposed work. If ment to this work.) This is t	COMPLETED OPERATION well is directionally on advise that	ons (Clearly state all per drilled, give subsurface	(No Con trinent details, and gi- locations and measur	ve pertinent da ed and true ve	tes, includir rtical depthi	ng estimated da s for all marke	te of starting or and sones pe
(Other) ESCRIBE PROPOSED OR Proposed work. If ment to this work.) This is t	COMPLETED OPERATION well is directionally on advise that	ons (Clearly state all per drilled, give subsurface	(No Con trinent details, and gi- locations and measur	ve pertinent da ed and true ve	tes, includir rtical depthi	ng estimated da s for all marke	te of starting or and sones pe
(Other) ESCRIBE PROPOSED OR Proposed work. If ment to this work.) This is t	COMPLETED OPERATION well is directionally on advise that	ons (Clearly state all per drilled, give subsurface	(No Con trinent details, and gi- locations and measur	ve pertinent da ed and true ve	tes, includir rtical depthi	ng estimated da s for all marke	te of starting or and sones pe
(Other) ESCRIBE PROPOSED OR Proposed work. If ment to this work.) This is t	COMPLETED OPERATION well is directionally on advise that	ons (Clearly state all per drilled, give subsurface	(No Con trinent details, and gi- locations and measur	ve pertinent da ed and true ve	tes, includir rtical depthi	ng estimated da s for all marke	te of starting or and sones pe
(Other) ESCRIBE PROPOSED OR Proposed work. If ment to this work.) This is t	COMPLETED OPERATION well is directionally on advise that	ons (Clearly state all per drilled, give subsurface	(No Con trinent details, and gi- locations and measur	ve pertinent da ed and true ve	tes, includir rtical depthi	ng estimated da s for all marke	te of starting or and sones pe
(Other) ESCRIBE PROPOSED OR Proposed work. If ment to this work.) This is t	COMPLETED OPERATION well is directionally on advise that	ons (Clearly state all per drilled, give subsurface	(No Con trinent details, and gi- locations and measur	ve pertinent da ed and true ve	tes, includir rtical depthi	ng estimated da s for all marke	te of starting or and sones pe
(Other) ESCRIBE PROPOSED OR Proposed work. If ment to this work.) This is t	COMPLETED OPERATION well is directionally on advise that	ons (Clearly state all per drilled, give subsurface	(No Con trinent details, and gi- locations and measur	ve pertinent da ed and true ve	tes, includir rtical depthi	ng estimated da s for all marke	te of starting or and sones pe
(Other) ESCRIBE PROPOSED OR Proposed work. If ment to this work.) This is t	COMPLETED OPERATION well is directionally on advise that	ons (Clearly state all per drilled, give subsurface	(No Con trinent details, and gi- locations and measur	ve pertinent da ed and true ve	tes, includir rtical depthi	ng estimated da s for all marke	te of starting or and sones pe
(Other) ESCRIBE PROPOSED OR Proposed work. If ment to this work.) This is t	COMPLETED OPERATION well is directionally on advise that	ons (Clearly state all per drilled, give subsurface	(No Con trinent details, and gi- locations and measur	ve pertinent da ed and true ve	tes, includir rtical depthi	ng estimated da s for all marke	te of starting or and sones pe
(Other) ESCRIBE PROPOSED OR Proposed work. If ment to this work.) This is t	COMPLETED OPERATION well is directionally on advise that	ons (Clearly state all per drilled, give subsurface	(No Con trinent details, and gi- locations and measur	ve pertinent da ed and true ve	tes, includir rtical depthi	ng estimated da s for all marke	te of starting or and sones pe
(Other) ESCRIBE PROPOSED OR Proposed work. If ment to this work.) This is t	COMPLETED OPERATION well is directionally on advise that	ons (Clearly state all per drilled, give subsurface	(No Con trinent details, and gi- locations and measur	ve pertinent da ed and true ve	tes, includir rtical depthi	ng estimated da s for all marke	te of starting or and sones pe
(Other) DESCRIBE PROPOSED OR Proposed work. If ment to this work.) This is t	COMPLETED OPERATION well is directionally on advise that	ons (Clearly state all per drilled, give subsurface	(No Con trinent details, and gi- locations and measur	ve pertinent da ed and true ve	tes, includir rtical depthi	ng estimated da s for all marke	te of starting or and sones pe
(Other) ESCRIBE PROPOSED OR Proposed work. If ment to this work.) This is t	COMPLETED OPERATION well is directionally on advise that	ons (Clearly state all per drilled, give subsurface	(No Con trinent details, and gi- locations and measur	ve pertinent da ed and true ve	tes, includir rtical depthi	ng estimated da s for all marke	te of starting or and sones pe
(Other) ESCRIBE PROPOSED OR Proposed work. If ment to this work.) This is t for 90 da	COMPLETED OPERATION well is directionally o advise that ys	ons (Clearly state all per drilled, give aubeurface at the subject	(No Con trinent details, and gi- locations and measur	ve pertinent da ed and true ve	tes, includir rtical depthi	ng estimated da s for all marke	te of starting or and sones pe
(Other) DESCRIBE PROPOSED OR proposed work. If ment to this work.) This is t	COMPLETED OPERATION well is directionally o advise that ys	ons (Clearly state all per drilled, give aubeurface at the subject	(No Con trinent details, and gi- locations and measur	ve pertinent da ed and true ve	ites, includir	ng estimated de for all marke	te of starting or and sones pe



355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Ut 84180-1203. • (801-538-5340)

Page 4 of 10

MONTHLY OIL AND GAS PRODUCTION REPORT


Operator name	and address:				· .			
BELCO DEVELO	PMENT COF	₹ P			Utah Accoun	nt No. —	NO 10 1	
P O BOX X	UT	84078			Report Peri	od (Month	/Year)1	/ 87
VERNAL ATTN: CATHER		-						
A THE					Amended R	eport		
		1	-	Y-1				
Well Name		Producing	Days	Production Volume Oil (BBL)	Gas (MSCF)		Water (BBL	
API Number Entity	Lecation	Cone	Oper		ON CANO		INTENT	TOPEN
4304731311 04905 098		WSTC	0	REPORTED BY BELL	CON NOV	<u> </u>		
CWU 226-3		исте	4					•
4304731312 04905 09S	22E 3	WSTC						
CWU 227-3 4304731313 04905 09S	22E 3	WSTC	1					
CWU 229-12			7/					
4304731315 04905 09S	22E 12	WSTC	 					
CWU 228-9 4304731317 04905 09S	22E 9	WSTC	7~					
CWU 231-14,			2					•
CWU 231-14 4304731318 04905 095	22E 14	WSTC						
234-23 404905 095 095	22E 23	WSTC	7 ~					<i>'</i>
CWU 233-15		WSTC	V					
4304731320 04905 098 CWU 238-16	246 15	, NOTO	+					
4304731385 04905 09S	22E 16	WSTC	1					
CWU 237-22 4304731392 04905 09S	22F 22	WSTC	TV					
Cult 226-13			Y			1		
4304731393-04905 095	22E 13	WSTC_						
CHAPITA WELLS UNIT 2 4304731471204905 09S	40-16 22F 16	WSTC	1					
CHAPITA WELLS WHIT 2	41-16	# WO.5	W.					g till skyller. Silver til
4304731472 64905 09S	22E 16	WSTC						
		••						
	•		TOTAL				• .	
Comments (attach separate	sheet if nec	essary)					<u></u>	
Comments lattach separate		,				i esmi		
		<u> </u>						
								ing parameter and the second
				a	Doto			
I have reviewed this report a	nd certify th	e information	on to b	e accurate and complete	. Date ———			
					. Telephone –			
A. lorized signature					. I dichiiciid -	¥		

ENRONOil & Gas Company

020930

P. O. Box 1188 Houston, Texas 77251-1188 (713) 853-6161

February 4, 1987



Ms. Tammy Searing 355 W. North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180 DIVISION OF OIL, GAS & MINING

Dear Ms. Searing,

To confirm our recent telephone conversation, effective December 31, 1986 Belco Development Corporation was merged with Enron Oil & Gas Company, a Delaware Corporation, the surviving corporate entity (Utah State I.D. Number NO401). Please adjust your records to reflect such change.

Also, please find enclosed a copy of the 1987 Return for Assessment which lists wells in the state of Utah which Belco Development Corporation had an interest.

If you have any questions, you may call me at 713-853-5518.

Very truly yours,

the Then

John Thomas

Governmental Royalties & Taxes

ENCLOSURE

cc: Don Fox




P.O. Box X, Vernal, Utah 84078, Telephone (801) 789-0790

February 16, 1987

State of Utah Division of Oil, Gas & Mining 355 W. North Temple Salt Lake City, Utah

Attention: Ron Firth

Dear Mr. Firth:



DIVISION OF OIL. GAS & MINING

This is to advise that Enron Oil and Gas has acquired the assets of the following companies:

Belco Development Corporation
Belco Petroleum - North America, Inc.
BelNorth Energy Corporation
BelNorth Petroleum Corporation
FEC Offshore Inventory Company
Florida Exploration Company
HNG Exploration Company
HNG Fossil Fuels Company
HNG Oil Company
HNG Oil (Sumatra) Inc.
IN Holdings, Inc.
InterNorth Exploration and Production Division
Ocelot Oil Company
Smitheastern Exploration Company

It is requested that all leases and well names be changed to reflect the new names. A list of affected lease numbers and well names is attached. Also, the bonding should be transferred to Enron Oil and Gas. Enron Oil and Gas Company, A Delaware Corporation, is wholly owned by Enron Corporation.

It is requested that 90 days be granted to have all the wells signs changed.

Also, attached is legal evidence of this ownership. If there are any questions or other information is needed please contact J. C. Ball at 789-0790 in the Vernal Office.

Sincerely yours,

. C. Ball

District Superintendent

JCB:jl

cc A. C. Morris

D. Weaver

File

J. C. Ball

D. Wright

Part of the Enron Group of Energy Companies

Page 2

cc: Bureau of Land Management - Utah
Bureau of Land Management - Colorado
Bureau of Land Management - New Mexico
State of Utah
State of Colorado
State of New Mexico

Form 3160-5 (November 1983) (Formerly 9-331)

UNITED STATES BUBMIT IN TRIPLICATES MENT THE INTERIOR (Other Instructions THE INTERIOR verse side) BUREAU OF LAND MANAGEMENT

Form ap	proved.	
Budget I	Bureau No.	1004-0135
	August 31,	

** /	200	9 A
U-(178	3 A


6. IF INDIAN, ALLOTTEE OR TRIBE NAME

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)	
OIL GAR WELL S OTHER OCT 16 1987	Chapita Wells Unit
ENRON OIL & GAS DIVISION OF CIL	8. PARM OR LEASE NAME
P. O. Box 1815, Vernal, UT 84078	9. WELL NO. 233-15
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 873 FEL & 981 FSL	10. PIELD AND POOL, OR WILDCAT CWU-Wasatch 11. SEC., T., E., M., OR BLK. AND SURVEY OR ARKA
14. FERMIT NO. 15. BLEVATIONS (Show whether DF, R1, GR, etc.) 4885 NAT GL	Sec. 15, T9S, R22E 12. COUNTY OB PARISH 13. STATE Uintah Utah
Check Appropriate Box To Indicate Nature of Notice, Report, or	Other Data
TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF PRACTURE TREAT MULTIPLE COMPLETE SHOOT OR ACIDIZE REPAIR WELL (Other) (Other) (Other) Completion or Reco	ALTERING WELL ALTERING CASING ABANDONMENT ^a whits of multiple completion on Well Expletion Report and Log form.)

This well was turned to production on 10-13-87.

hereby certify that the foregoing is true and correct	TITLE	District	Superinte	ndent	DATE _	10-14-	37
This space for Federal or State office use)							
PPROVEI BY	TITLE				DATE _		* . *

*See Instructions on Reverse Side



	STATES THE INTERIC	Other Instructions Por Port (Other Instructions Property of Proper	Expires Augr	
	OF LAND MANAGEMENT	// verse dide/	U-0283A	or any sector no.
	S AND REPORTS O	N WENSELE [[FM ALLOT	TEE OR TRIBE NAME
OIL GAS X OTHER			990CHAPITA WEI	NAME LS UNIT
. NAME OF OPERATOR ENR	ON OIL & GAS COMPANY	Z DIVISION O	8. FARM OR LEASE I	IAME
. ADDRESS OF OPERATOR	0.7 012 0 02 00.1.1.	OIL, GAS & MI	N WG WELL BO.	
P. LOCATION OF WELL (Report location clear	O. BOX 1815 VER	VAL, UT 84078	233-15 10. FIBLD AND POOL	OR WILDCAT
See also space 17 below.) At surface			CWU-WASATCH	R BLK. AND
873' FEL &	981' FSL SE/SE		SEC 15, T9S	, R22E
	15. BLEVATIONS (Show whether DF, B	rt, GR, etc.)	12. COUNTY OR PART	
43 047 31320	4885' NAT GL		UINTAH	<u>l utah</u>
Check Appro	opriate Box To Indicate Na	ture of Notice, Report, or	Other Data	
NOTICE OF INTENTIO	N 10:	#UB\$B6	QUENT REPORT OF:	
	L OR ALTER CASING	WATER SHUT-OFF	BEPAIRIN	
	TIPLE COMPLETE	PRACTURE TREATMENT SHOOTING OR ACIDIZING	ALTERING ABANDON	
	NGE PLANS	(Other)		
(Other)		(Norm: Report result Completion or Recom	ts of multiple completic pletion Report and Log	on on Well form.)
 DESCRIBE PROPOSED OR COMPLETED OPERAT proposed work. If well is directional nent to this work.) 	ions (Clearly state all pertinent ly drilled, give subsurface locatio	details, and give pertinent date ns and measured and true verti	s, including estimated (cal depths for all mark	iate of starting ar ters and sones peri
proposed work. If well is directional	ly drilled, give subsurface locatio	ns and measured and true verti	cal depths for all mark	ers and sones pert
proposed work. If well is directional nent to this work.)	ly drilled, give subsurface locatio	ns and measured and true verti	VG SHUT IN 88 1	DAYS.
proposed work. If well is directional nent to this work.)	ly drilled, give subsurface locatio	ns and measured and true verti	OIL AND GA	DAYS.
proposed work. If well is directional nent to this work.)*	ly drilled, give subsurface locatio	ns and measured and true verti	OIL AND GA	DAYS.
proposed work. If well is directional nent to this work.)	ly drilled, give subsurface locatio	ns and measured and true verti	OIL AND GA	DAYS. RJF GLH
proposed work. If well is directional nent to this work.)	ly drilled, give subsurface locatio	ns and measured and true verti	OIL AND GA	DAYS.
proposed work. If well is directional nent to this work.)	ly drilled, give subsurface locatio	ns and measured and true verti	OIL AND GA	DAYS. RJF GLH
proposed work. If well is directional nent to this work.)	ly drilled, give subsurface locatio	ns and measured and true verti	OIL AND GADEN ORN JRB DTS	DAYS. RJF GLH
proposed work. If well is directional nent to this work.)	ly drilled, give subsurface locatio	ns and measured and true verti	OIL AND GADRN JRB OTS	DAYS. S RJF GLH SLS
proposed work. If well is directional nent to this work.)*	ly drilled, give subsurface locatio	ns and measured and true verti	OIL AND GADRN JRB DTS 1-Dn EN 2- MICROFILM	DAYS. S RJF GLH SLS
proposed work. If well is directional nent to this work.)	ly drilled, give subsurface locatio	ns and measured and true verti	OIL AND GADRN JRB OTS	DAYS. S RJF GLH SLS
proposed work. If well is directional nent to this work.)	ly drilled, give subsurface locatio	ns and measured and true verti	OIL AND GADRN JRB DTS 1-Dnew 2- MICROFILM	DAYS. S RJF GLH SLS
proposed work.) • THIS WELL WAS TURNED B.	ACK TO PRODUCTION ON	ns and measured and true verti	OIL AND GADEN ORN JRB DTS 1-Dne 2- MICROFILM FILE	DAYS. S RJF GLH SLS
THIS WELL WAS TURNED B.	and correct	ns and measured and true verti	OIL AND GADRN JRB DTS I-DnEN 2- MICROFILM 2- FILE	DAYS. S RJF GLH SLS
THIS WELL WAS TURNED B. 8. I hereby certify that the foregoing is transcored.	and correct	ns and measured and true verti	OIL AND GADRN JRB DTS I-DnEN 2- MICROFILM 2- FILE	DAYS. S RJF GLH SLS

*See Instructions on Reverse Side



OIL & GAS COMPANY

P.O. BOX 1815, VERNAL, UTAH 84078 (801)789-0790

June 15 1993

Bureau of Land Management Vernal District 170 South 500 East Vernal, Utah 84078

JUN 1 7 1993

DIVISION OF C'L GAS & MINING

RE: CHAPITA WELLS UNIT 233-15 SEC. 15, T9, R22E UINTAH COUNTY, UTAH

Attn: Ed Forsman:

Dear Mr. Forsman:

Please find attached 3 (three) Sundry Notices requesting approval for water disposal method.

If you have any questions or need additional information, please contact this office.

Very truly yours, ENROW OIL & GAS COMPANY

George R. McBride

Sr. Production Foreman

Division of Oil Gas & Mining cc: Curt Parsons Doug Weaver/Toni Miller Suzanne Saldivar - Houston EB-2369 Diane Cross - Houston EB-2370 File

/1wSundry

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

PORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

U-0283-A

SUNDRY NOTICES AND REPORTS ON WELLS

6. If Indian, Allottee or Tribe Name

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals

If Unit or CA, Agreement Designation

SUBMIT	7. If Unit or CA, Agreement Designation CHAPITA WELLS UNI		
1. Type of Well Oil Well Well Well Other 2. Name of Operator ENRON OIL & GAS COMPANY 3. Address and Telephone No. P.O. BOX 1815, VERNAL, U	тан 84078 (801) 789-0790	8. Well Name and No. CWU 233-15 9. API Well No. 43-047-31320 10. Field and Pool, or Exploratory Area	
4. Location of Well (Footage, Sec., T., R., M., or Survey Do. 873' FEL & 981' FSL SE/SSEC. 15, T9S, R22E	SE	CWU/WASATCH 11. County or Parish, State UINTAH, UTAH	
12. CHECK APPROPRIATE BOX(s TYPE OF SUBMISSION	s) TO INDICATE NATURE OF NOTICE, REPO TYPE OF ACTION		
☐ Notice of Intent ☐ Subsequent Report ☐ Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other Other	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

Enron Oil & Gas Company requests approval to dispose of produced water from the subject well as follows:

1. Store in above ground tank.

give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

 Transport by truck to Enron Oil & Gas Company's Natural Buttes 21-20 SWD Plant.

Accopted by the State of Utah Division of Oil, Gas and Mining

Date: 6-21-93

14. I hereby certify the	the foregoing is true and correct	Title	Sr. Admin. Clerk	6/15/93
(This space for Fed	deral or State office use)			-
Approved byConditions of appro	Federal Approval of this oval, if Amition is Necessary	Title		Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



OIL & GAS COMPANY

P.O. BOX 1815, VERNAL, UTAH 84078 (801)789-0790

September 13, 1993

KECEIV EU

SEP 1 4 1993

Bureau of Land Management Vernal District 170 South 500 East Vernal, Utah 84078 DIVISION OF OIL, GAS & MINING

RE: CHAPITA WELLS UNIT 233-15 SEC. 15, T9S, R22E UINTAH COUNTY, UTAH LEASE/NO. U-0283-A

Attn: Ed Forsman:

Dear Mr. Forsman:

Please find attached 3 (three) Sundry Notices with return to production information on the subject well.

If you have any questions or need additional information, please contact this office.

Very truly yours,

ENRON OIL & GAS COMPANY Glorge R. McBride by J. D.

George R. McBride Sr. Production Foreman

cc: Division of Oil Gas & Mining Curt Parsons Doug Weaver/Toni Miller Diane Cross - Houston EB-2370 File

/1wSundry

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

DEPARTMEN	AT OF THE INTERIOR	Expires: March 31, 1993
BUREAU OF	LAND MANAGEMENT	5. Lease Designation and Serial No.
	· · · · · · · · · · · · · · · · · · ·	U-0283-A
Do not use this form for proposals to di	AND REPORTS ON WELLS rill or to deepen or reeming the bufferent reservoir. R PERMIT—" for such process.	6. If Indian, Allottee or Tribe Name
		7. If Unit or CA, Agreement Designation
	SEP 1 4 1993	CHAPITA WELLS UNIT
I. Type of Well Oil Gas Well Well Other	DIVICION OF	8. Well Name and No.
2. Name of Operator	DIVISION OF	CWU 233-15
ENRON OIL & GAS COMPANY	OIL, GAS & MINING	9. API Well No.
3. Address and Telephone No.		43-047-31320
P.O. BOX 1815, VERNAL, U	TAH 84078 (801) 789-0790	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey D		CW/WASATCH
873' FEL & 981' FSL SE/ SEC. 15, T9S, R22E	SE	11. County or Parish, State UINTAH/UTAH
12. CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment Recompletion	Change of Plans New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other <u>RETURN TO PROD.</u>	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
give subsurface locations and measured and true verti	Ill pertinent details, and give pertinent dates, including estimated date of starting cal depths for all markers and zones pertinent to this work.)*	
Subject well was returne	d to production 9/8/93 after bei	ng shut in over

4. I hereby certify that the foregoing is true and correct Signed	_ Title _Sr	. Admin.	Clerk	Date	9/13/93
(This space for Federal or State office use)					
Approved by	_ Title			 Date	·
Conditions of approval, if any:					


Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

ENRON

OIL & GAS COMPANY

P.O. BOX 1815, VERNAL, UTAH 84078 (801)789-0790

September 15, 1993



Bureau of Land Management Vernal District 170 South 500 East Vernal, Utah 84078 DIVISION OF OIL, GAS & MINING

RE: CHAPITA WELLS UNIT 233-15 43_047_31320 SEC. 15, T9S, R22E

UINTAH COUNTY, UTAH LEASE NO. U-0283-A

Attn: Ed Forsman:

Dear Mr. Forsman:

Please find attached 3 (three) Sundry Notices with a revised wellsite schematic attached for the subject well.

If you have any questions or need additional information, please contact this office.

Very truly yours, ENRON OIL & GAS COMPANY

George R. Mc Bride

George R. McBride

Sr. Production Foreman

cc:

Division of Oil Gas & Mining

Curt Parsons

Doug Weaver/Toni Miller

Diane Cross - Houston EB-2370

File

/lwSundry

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT


FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

		OF THE INTERIOR		Expires: March 31, 1993
	BUREAU OF LA	AND MANAGEMEN	T	5. Lease Designation and Serial No.
00	MODY MOTIOTO A	NO DEDOCTE ON	WELLOW THE	U-0283-A
Do not use this form	INDRY NOTICES A for proposals to drill 'APPLICATION FOR	or to deepen or population	new bad taken real	6. If Indian, Allottee or Tribe Name
	0101171	N TOUR LOATS	000 4 7 1007	7. If Unit or CA, Agreement Designation
	SUBMIT	N TRIPLICATE	SEP 1 7 1993	CHAPITA WELLS UNI
1. Type of Well				
Oil X Gas Well	Other		DIVISION OF	8. Well Name and No.
2. Name of Operator			OIL, GAS & MININ	G CWU 233-15
ENRON OIL & C	SAS COMPANY			y. API Well No.
3. Address and Telephone No.	CONTRACT TIMES I	04070 (001) 789-0790	43-047-31320 10. Field and Pool, or Exploratory Area
P.O.BOX 1815, 4. Location of Well (Footage, Sec		84078 (801	1 109-0190	CW/WASATCH
Location of West (1 totage, occ	., I., K., W., Or Survey Desc.	(iprosi)		11. County or Parish, State
873' FEL & 98 SEC. 15, T9S,		E		UINTAH, UTAH
2. CHECK APP	ROPRIATE BOX(s)	TO INDICATE NA	TURE OF NOTICE, F	REPORT, OR OTHER DATA
TYPE OF SUB	MISSION		TYPE OF A	CTION
Notice of Inten	ıt	Abando	nment	Change of Plans
		Recomp	eletion	New Construction
X Subsequent Rep	port	Pluggin	g Back	Non-Routine Fracturing
		Casing !	Repair	Water Shut-Off
Final Abandons	ment Notice	A Steering	Casing	Conversion to Injection
L Final Adamidil	incin rione	5 ₹7		प्राप्तान 🗂
Describe Proposed or Completer		Other_	REVISED WELLS SCHEMATIC nt dates, including estimated date	
Describe Proposed or Completed give subsurface locations a	d Operations (Clearly state all pend measured and true vertical of	Other _ ertinent details, and give pertine depths for all markers and zone	REVISED WELLS SCHEMATIC nt dates, including estimated date	OITE Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is directionally drilled
Describe Proposed or Completed give subsurface locations a	d Operations (Clearly state all pend measured and true vertical of	Other _ ertinent details, and give pertine depths for all markers and zone	REVISED WELLS SCHEMATIC Int dates, including estimated date are pertinent to this work.) **The control of the	OITE Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is directionally drilled
Describe Proposed or Completed give subsurface locations a	d Operations (Clearly state all pend measured and true vertical of	Other _ ertinent details, and give pertine depths for all markers and zone	REVISED WELLS SCHEMATIC Int dates, including estimated date are pertinent to this work.) **The control of the	OITE Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is directionally drilled
Describe Proposed or Completed give subsurface locations a	d Operations (Clearly state all pend measured and true vertical of	Other _ ertinent details, and give pertine depths for all markers and zone	REVISED WELLS SCHEMATIC Int dates, including estimated date are pertinent to this work.) **The control of the	OITE Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is directionally drilled
Describe Proposed or Completed give subsurface locations a	d Operations (Clearly state all pend measured and true vertical of	Other _ ertinent details, and give pertine depths for all markers and zone	REVISED WELLS SCHEMATIC Int dates, including estimated date are pertinent to this work.) **The control of the	OITE Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is directionally drilled
Describe Proposed or Completed give subsurface locations a	d Operations (Clearly state all pend measured and true vertical of	Other _ ertinent details, and give pertine depths for all markers and zone	REVISED WELLS SCHEMATIC Int dates, including estimated date are pertinent to this work.) **The control of the	OITE Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is directionally drilled
Describe Proposed or Completed give subsurface locations a	d Operations (Clearly state all pend measured and true vertical of	Other _ ertinent details, and give pertine depths for all markers and zone	REVISED WELLS SCHEMATIC Int dates, including estimated date are pertinent to this work.) **The control of the	OITE Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is directionally drilled
Describe Proposed or Completed give subsurface locations a	d Operations (Clearly state all pend measured and true vertical of	Other _ ertinent details, and give pertine depths for all markers and zone	REVISED WELLS SCHEMATIC Int dates, including estimated date are pertinent to this work.) **The control of the	OITE Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is directionally drilled
Describe Proposed or Completed give subsurface locations a	d Operations (Clearly state all pend measured and true vertical of	Other _ ertinent details, and give pertine depths for all markers and zone	REVISED WELLS SCHEMATIC Int dates, including estimated date are pertinent to this work.) **The control of the	OITE Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is directionally drilled
Describe Proposed or Completed give subsurface locations a	d Operations (Clearly state all pend measured and true vertical of	Other _ ertinent details, and give pertine depths for all markers and zone	REVISED WELLS SCHEMATIC Int dates, including estimated date are pertinent to this work.) **The control of the	OITE Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is directionally drilled
Describe Proposed or Completed give subsurface locations a	d Operations (Clearly state all pend measured and true vertical of	Other _ ertinent details, and give pertine depths for all markers and zone	REVISED WELLS SCHEMATIC Int dates, including estimated date are pertinent to this work.) **The control of the	OITE Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is directionally drilled
Describe Proposed or Completed give subsurface locations a	d Operations (Clearly state all pend measured and true vertical of	Other _ ertinent details, and give pertine depths for all markers and zone	REVISED WELLS SCHEMATIC Int dates, including estimated date are pertinent to this work.) **The control of the	OITE Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is directionally drilled
Describe Proposed or Completed give subsurface locations a	d Operations (Clearly state all pend measured and true vertical of	Other _ ertinent details, and give pertine depths for all markers and zone	REVISED WELLS SCHEMATIC Int dates, including estimated date are pertinent to this work.) **The control of the	OITE Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is directionally drilled
Describe Proposed or Completed give subsurface locations a	d Operations (Clearly state all pend measured and true vertical of revised wells	ertinent details, and give pertine depths for all markers and zone site schemati	REVISED WELLS SCHEMATIC Int dates, including estimated date are pertinent to this work.) **The control of the	OITE Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is directionally drilled
3. Describe Proposed or Completed give subsurface locations a Attached is 4. I hereby certify that the foregoing	d Operations (Clearly state all pend measured and true vertical of revised wells	other_ entinent details, and give pertine depths for all markers and zone site schemati	REVISED WELLS SCHEMATIC Int dates, including estimated date est pertinent to this work.)* C for subject	Oispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is directionally drilled Well.
3. Describe Proposed or Completed give subsurface locations a Attached is 4. I hereby certify that the foregoin Signed	d Operations (Clearly state all pend measured and true vertical of revised wells	other_ entinent details, and give pertine depths for all markers and zone site schemati	REVISED WELLS SCHEMATIC Int dates, including estimated date est pertinent to this work.)* C for subject	Oispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is directionally drilled Well.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CHAPITA WELLS UNIT 233-15 SEC. 15, T9S, R22E SE/SE UINTAH COUNTY, UTAH FEDERAL LEASE NO. U-0283-A


NA



ENRON

OIL & GAS COMPANY

P.O. BOX 1815, VERNAL, UTAH 84078 (801)789-0790



23 0 9 1994

February 8, 1994

DIVISION OF OIL GAS & MINING



Bureau of Land Management Vernal District 170 South 500 East Vernal, Utah 84078

DIVISION OF OIL GAS & MINING

RE: DISPOSAL OF PRODUCED WATER VARIOUS CWU - NBU - STG

Attn: Ed Forsman:

Dear Mr. Forsman:

Attached is a Sundry Notice requesting approval for disposal of produced water on various Chapita Wells Unit, Natural Buttes Unit and Stagecoach wells. This Sundry is to correct Sundries filed in error.

If you require additional information, please contact this office.

Very truly yours, ENRON OIL & GAS COMPANY

George R. McBride Sr. Production Foreman

cc: Division of Oil Gas & Mining Curt Parsons Doug Weaver/Toni Miller Joe Tigner - Houston EB-2047 File

/lwSundry

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

See Attached Copy

SUNDRY NOTICES	AND REPORTS ON WELLS	6. If Indian, Allottee or Tribe Name
Do not use this form for proposals to d Use "APPLICATION FO	rill or to deepen or reentry to a different reservoir. OR PERMIT—" for such proposition is a service of the se	750
SURMI	T IN TRIPLICATE	If Unit or CA, Agreement Designation
. Type of Well	-3 0 9 19	961
Oil KGas Other		8. Well Name and No.
. Name of Operator	DIVISION	See Attached Copy
ENRON OIL & GAS COMPANY	OIL GAS & MIN	
P.O. Box 1815, VERNAL, U	TAH 84078 (801) 789-0790	See Attached Copy 10. Field and Pool, or Exploratory Area
Location of Well (Footage, Sec., T., R., M., or Survey I		70. Field and Foot, or Exploratory Area
Coo Attached Con-	•	11. County or Parish, State
See Attached Copy		Uintah, Utah
	:	
CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, RE	PORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACT	ION
Notice of Intent	Abandonment .	Change of Plans
₩.	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
Final Abandonment Notice	Casing Repair Altering Casing	Water Shut-Off Conversion to Injection
I Final Abandolulent Porce	X Other Water Disposal	Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
	ny is requesting approval for pit at the referenced locati	
1. Subject well	produces less than 5 BWPD.	Water produced
is from the	Wasatch Formation.	
-	rate for the area, compensate	d for annual
	approx. 70 inches per year. rate for the area is from 2 t	o 6 inches per hour.
	and depth of waters containi	
ppm TDS is u		
5. Pit is approx	$x.\ 20'\ X\ 20'$, tapering to app	rox. 15' X 15' w/a
depth of app	rox. 5'.	pted by the State
	· · · · · · · · · · · · · · · · · · ·	ah Division of
I hereby certify that the foregoing is true and correct		ias and Mining
Signed Luia & Wal	a sala Alamba	Federal Approval of this
(This space for Federal or State office use)	_	Action is Necessary
Approved by	Title By:	Date
Conditions of approval, if any:		

WELL NAME & NO.	LOCATION OF WELL	LEASE NO.	API WELL NO.
CWU 11	SEC. 15, T9S, R22E 2690' FSL,2700' FEL SWNE	U-03A	43-047-15056
CWU 16	SEC. 14, T9S, R22E 2790' FSL,2689' FEL SENW	U-0282	43-047-15061
CWU 22	SEC. 9, T9S, R22E 2310' FSL,2310'FWL NWSE	U-0283A	43-047-15067
CWU 24	SEC. 2, T9S, R22E 2306' FSL, 2389' FEL NWSE	ML 3077	43-047-15068
CWU 31-14	SEC. 14, T9S, R22E 746' FSL,672' FWL SESE	U-0282	43-047-30232
CWU 33-16	SEC. 16, T9S, R22E 560' FNL, 2018' FEL NWNE	ML-3078	43-047-30234
CWU 34-28	SEC. 28, T9S, R22E 1132' FNL, 605' FWL NWNW	U-023998	43-047-30235
CWU 35-15	SEC. 15, T9S, R22E 533' FSL,793' FWL SWSW	U-0283A	43-047-30236
CWU 37-11	SEC. 11, T9S, R22E 30' FNL, 400' FEL NENE	U-0281	43-047-30264
CWU 38-9	SEC. 9, T9S, R22E 33' FNL, 400' FEL NWNW	U-0283A	43-047-3026A
CWU 42-13	SEC. 13, T9S, R22E 449' FNL,427' FWL NWNW	U-0282	43-047-30289.
CWU 43-11	SEC. 11, T9S, R22E 1017' FSL, 401' FWL SWSW	U-0281	43-047-30290
CWU 44-10	SEC. 10, T9S, R22E 1111' FSL, 1076' FWL SWSW	U-0281	43-047-30291
CWU 225-2	SEC. 2, T9S, R22E 330' FEL, 1381' FSL SESE	ML-3077	4-047-31305
CWU 226-3	SEC. 3, T9S, R22E 730' FEL,2159' FSL NESE	U-0281	43-047-31319
CWU 227-3	SEC. 3, T9S, R22E 300' FWL,2000' FSL NWSW	U-0281	43-047-31313

WELL NAME & NO.	LOCATION OF WELL	LEASE NO.	API WELL NO.
CWU 233-15	SEC. 15, T9S, R22E 873' FEL,981' FSL SESE	U0283-A	43-047-31320
CWU 240-16	SEC. 16, T9S, R22E 1299' FWL,1187' FNL NWNW	ML-3078	43-047-31471
CWU 237-22	SEC. 22, T9S, R22E 1589' FNL, 280' FWL SWNW	U-0284	43-047-31392
CW FED 1-4	SEC. 4, T9S, R22E 1022' FWL,2055' FNL SWNW	U-41368	43-047-30660
NBU 2-15B	SEC. 15, T9S, R20E 1630' FSL,2125' FEL NWSE	U-0144868	43-047-30262
NBU 10-29B	SEC. 29, T9S, R22E 1100' FSL,1540' FEL SWSE	U-01207ST	43-047-3028 1
NBU 15-29B	SEC. 29, T9S, R21E 821' FNL, 687' FWL NWNW	U-0581	43-047-30296
NBU 30-18B	SEC. 18, T9S, R21E 1895' FSL, 685' FEL NESE	U-0575	43-047-30380
NBU 33-17B	SEC. 17, T9S, R22E 683' FSL, 739' FWL SWSW	U-461	43-047-30396
NBU 35-8B	SEC. 8, T9S, R21E 1830' FNL, 660' FWL SWNW	U-0149767	43-047-30397
NBU 36-7B	SEC. 7, T9S, R21E 1667' FSL, 1527' FWL NWSW	U-0575	43-047-30399
NBU 53-3B	SEC. 3, T9S, R21E 495' FSL,601' FWL SWSW	U-0141315	43-047-30474
NBU 54-2B	SEC. 2, T9S, R21E 660' FSL,660' FWL SWSW	ML-21510	43-047-30475
NBU 202-3	SEC. 2, T9S, R213 898' FSL,1580' FEL SESE	U-0141315	43-047-31150
STAGECOACH 6	SEC. 20, T9S, R22E 1980'FNL,1980 FEL SWNE	14-20-462-449AL	43-047-15075
STAGECOACH 19-33	SEC. 33, THS, R21E 1152 FWL,951'FNL NWNW	U-9613	43-047-30657



EOG Resources, Inc. 1200 Smith Street Houston, TX 77002

P.O. Box 4962 Houston, TX 77210-4362

October 6, 1999

VIA OVERNIGHT MAIL

Ms. Kristen Risbeck
State of Utah
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

RE:

Blanket Oil & Gas Well Drilling Bond No. JT 1230

Merger and Name Change from Enron Oil & Gas Company

Into EOG Resources, Inc.

Dear Ms. Risbeck:

On August 30, 1999, EOG Resources, Inc. merged with and into Enron Oil & Gas Company and Enron Oil & Gas Company changed its name to EOG Resources, Inc. Enclosed are an originally certified copy of the Certificate of Ownership and Merger evidencing this merger and name change, a Rider for Bond No. JT 1230 changing the principal to EOG Resources, Inc. and a list of wells operated by Enron Oil & Gas Company in Utah. Please update your records accordingly.

If you have any questions or need any additional information, please contact me at (713) 853-5195.

Sincerely,

Debbie Hamre

Enclosures

cc:

Theresa Wysocki

eleber Hamre

Toni Miller, Denver Division

Bill Aven





ENRON OIL & GAS COMPANY

CERTIFICATE OF NAME CHANGE

TO EOG RESOURCES, INC.

I, the undersigned, Vickie L. Graham, Assistant Secretary of EOG Resources, Inc., a corporation duly organized and existing under and by virtue of the laws of the State of Delaware and formerly known as Enron Oil & Gas Company, hereby certify that:

- (1) as Assistant Secretary I am authorized to execute this certificate on behalf of the Corporation;
- attached is a true and correct copy of a Certificate of Ownership and Merger merging EOG Resources, Inc. into Enron Oil & Gas Company, and changing the corporate name of Enron Oil & Gas Company to EOG Resources, Inc., including a copy of the certificate of the Secretary of State of Delaware, the state of incorporation; said merger and name change being effective as of August 30, 1999.

IN WITNESS HEREOF, I have hereunto set my hand as Assistant Secretary and affixed the corporate seal of said Corporation this _______ day of _______, 1999.

CORPORATE SEAL

Vickie L. Graham Assistant Secretary

STATE OF TEXAS

COUNTY OF HARRIS

This instrument was acknowledged before me this day of the last of

ANN S. BYERS
NOTARY PUBLIC, STATE OF TEXAS
MY COMMISSION EXPIRES
FEB. 15, 2003

Notary Public in and for

The State of Texas

FEB. 15, 2003



Office of the Secretary of State

I, EDWARD J. FREEL, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF MERGER, WHICH MERGES:

"EOG RESOURCES, INC.", A DELAWARE CORPORATION,

WITH AND INTO "ENRON OIL & GAS COMPANY" UNDER THE NAME OF "EOG RESOURCES, INC.", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED IN THIS OFFICE THE THIRTIETH DAY OF AUGUST, A.D. 1999, AT 4:30 O'CLOCK P.M.



Edward J. Freel, Secretary of State

2064000 8100M

991371085

AUTHENTICATION:

9955549

DATE:

09-03-99





CERTIFICATE OF OWNERSHIP AND MERGER

MERGING

EOG RESOURCES, INC. a Delaware corporation

INTO

ENRON OIL & GAS COMPANY a Delaware corporation

(Pursuant to Section 253 of the General Corporation Law of the State of Delaware)

Enron Oil & Gas Company, a corporation duly organized and existing under and by virtue of the General Corporation Law of the State of Delaware, does hereby certify:

FIRST: That Enron Oil & Gas Company (the "Company") and EOG Resources, Inc. ("EOG") are corporations duly organized and existing under and by virtue of the General Corporation Law of the State of Delaware.

SECOND: That the Company owns all of the issued and outstanding shares of the capital stock of EOG.

THIRD: That the board of directors of the Company adopted the following resolutions by unanimous written consent dated August 25, 1999, and that such resolutions have not been rescinded and are in full force and effect on the date hereos:


"WHEREAS, EOG Resources, Inc., a Delaware corporation ("EOG"), is a wholly owned subsidiary of the Company;

WHEREAS, the board of directors of the Company deems it advisable and in the best interest of the Company to merge EOG with and into the Company, with the Company being the surviving corporation;

Now, THEREFORE, BE IT RESOLVED, that EOG be merged with and into the Company pursuant to Section 253 of the General Corporation Law of the State of Delaware, and that the Company succeed to and possess all the rights and assets of EOG and be subject to all of the liabilities and obligations of EOG;

RESOLVED, that the Company change its corporate name by changing Article First of the Certificate of Incorporation of the Company to read in its entirety as follows:

"First: The name of the Corporation is EOG Resources, Inc."



RESOLVED, that the merger shall become effective on the date the Company files a Certificate of Ownership and Merger with respect to such merger with the Secretary of State of the State of Delaware;

RESOLVED, that the appropriate officers of the Company are hereby authorized and empowered to file the necessary documents with the Secretary of State of the State of Delaware, to incur the necessary expenses therefor and to take, or cause to be taken, all such further action and to execute and deliver or cause to be executed and delivered, in the name of and on behalf of the Company, all such further instruments and documents as any such officer may deem to be necessary or advisable in order to effect the purpose and intent of the foregoing resolutions and to be in the best interests of the Company (as conclusively evidenced by the taking of such action or the execution and delivery of such instruments and documents, as the case may be, by or under the direction of any such officer);

RESOLVED, that the prior actions of the officers and directors of the Company in undertaking to carry out the transactions contemplated by the foregoing resolutions be, and the same hereby are, in all respects, approved, adopted, ratified and confirmed."

IT WITNESS WHEREOF, the Company has caused this Certificate to be signed by its duly authorized officer this 26th day of August, 1999.

ENRON OIL & GAS COMPANY

By:

Walter C. Wilson

Senior Vice President and Chief Financial Officer

P:\Ibh\EOG Resources, Inc\5301020_v2.doc







United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

In Reply Refer To: 3100 SL-065342 et al (UT-932)

OCT 1 8 1999

NOTICE

EOG Resources, Inc. Attn: Debbie Hamre P.O. Box 4362 Houston, TX 77210-4362

Oil and Gas Leases

Merger Recognized Name Change Recognized

Acceptable evidence has been received in this office concerning the merger of EOG Resources, Inc. with and into Enron Oil & Gas Company with Enron Oil & Gas Company subsequently changing its name to EOG Resources, Inc.

For our purposes, the merger and name change are recognized effective September 3, 1999, the date the Secretary of State of the State of Delaware recognized the merger and name change.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the merger/name change. The exhibit is the list supplied by EOG Resources, Inc. We have not adjudicated the case files to determine if the entity affected by the merger/name change holds an interest in the leases identified, nor have we attempted to identify leases where the entity is the operator on the ground maintaining no vested record title or operating rights interest. We are notifying the Minerals Management Service and all applicable BLM offices of the merger/name change by a copy of this notice. If additional documentation for a change of operator is required by our Field Offices, you will be contacted by them.


Due to the name change, the name of the principal/obligor on the bond is required to be changed from Enron Oil & Gas Company to EOG Resources, Inc. on Nationwide Surety Bond No. JP 0923 (BLM Bond No. NM 2308). You may accomplish this name change either by consent of the surety on the original bond or by a rider to the original bond. Otherwise, a replacement bond with the new name may be furnished to the New Mexico State Office of the Bureau of Land Management.

Rebor Logic

Robert Lopez Chief, Branch of Minerals Adjudication

Enclosure:

Exhibit of Leases



Page 4 of 20 01/18/2000

1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS

PATTY E ROBINSON ENRON OIL & GAS CO PO BOX 250 BIG PINEY, WY 83113

UTAH ACCOUNT NUMBER:	N0401
REPORT PERIOD (MONTH	(/YEAR): 12 / 1999
AMENDED REPORT [(H	ighlight Changes)

WEUL NAME	Producing	Well	Well	Days		Production Vo	lumes
API Number Entity Location	Zone	Status	Туре	Oper	OIL(BBL)	GAS (MCF)	WATER (BBL)
CWU 233-15 4304731320 04905 09S 22E 15	WSTC		GW		U-0283A	chapita. Weisunit	appr 10.00
CWU 238-16 4304731385 04905 09S 22E 16	WSTC		GW		ML-3078	11	/1
CWU 237-22 4304731392 04905 09S 22E 22	WSTC		GW		U-0284	1)	//
CWU 236-13 4304731393 04905 09S 22E 13	WSTC		GW		U-0282	/1	//
CWU 240-16 4304731471 04905 09S 22E 16	WSTC		GW		ML-3078	/1	11
7 241-16 4304731472 04905 09S 22E 16	WSTC		GW		mL-3078	1)	//
CWU 239-9 4304731483 04905 09S 22E 09	WSTC		GW		U-0283A	/1	//
CWU 244-25A 4304731559 04905 09S 22E 25	WSTC		GW		U-0285A) (()
CWU 304-13 4304731999 04905 09S 22E 13	WSTC		GW		U-0282	/1	//
CWU 303-22 4304732000 04905 09S 22E 22	WSTC		GW		U-D284A	/1	1)
CWU 301-26 4304732002 04905 09S 22E 26	WSTC		GW		U-010956	1)	11
CWU 312-23 4304732091 04905 09S 22E 23	WSTC		GW		U-0282	(/	11
CWU 319-14 4304732096 04905 09S 22E 14	WSTC		GW		u-0282	11	/\
COMMENTE	<u> </u>		TO:	TALS			
COMMENTS :							

COMMENTS :	
mereby certify that this report is true and complete to the best of my knowledge.	Date:
Name and Signature:	Telephone Number:



Michael O. Leavitt Governor Kathleen Clarke Executive Director Lowell P. Braxton 801-359-3940 (Fax)
Division Director 801-538-7223 (TDD)

1594 West North Temple, Suite 1210 PO Box 145801 Salt Lake City, Utah 84114-5801 801-538-5340 801-359-3940 (Fax)

February 1, 2000

Enron Oil & Gas Company P.O. Box 250 Big Piney, Wyoming 83113

Notification of Sale or Transfer of Fee Lease Interest Re:

The Division has received notification of a merger from Enron Oil & Gas Company to EOG Resouces Inc. for the following well(s) which are located on a fee lease:

<u>Well Name</u>	<u>SecTR.</u>	API Number
Stagecoach 18-17	17-09S-22E	43-047-30611
CWU 228-09	09-09S-22E	43-047-31317
CWU 337-09	09-09S-22E	43-047-32414
CWU 408-9N	09-09S-22E	43-047-33043
CWU 536-9F	09-09S-22E	43-047-33143
North Chapita 2-5	05-09S-22E	43-047-33211
CWU 535-9F	09-09S-22E	43-047-33275

Utah Administrative Rule R649-2-10 states; the owner of a lease shall provide notification to any person with an interest in such lease, when all or part of that interest in the lease is sold or transferred.

This letter is written to advise Enron Oil & Gas Company of its responsibility to notify all individuals with an interest in this lease (royalty interest and working interest) of the change of operator. Please provide written documentation of this notification to:

Utah Royalty Owners Association Box 1292 Roosevelt, Utah 84066



Page 2 Enron Oil & Gas Company Notification of Sale February 1, 2000

Your assistance in this matter is appreciated.

Sincerely,

Kristen D. Risbeck

Kristen Risblek

cc: EOG Resources Inc.
Utah Royalty Owners Association, Martin Brotherson
John R. Baza, Associate Director
Operator File(s)





EOG Resources, Inc. 1200 Smith Street Houston, TX 77002

P.O. Box 4362 Houston, TX 77210-4362

> SENT VIA FAX (801)359-3940

March 10, 2000

Ms. Kristen Risbeck
State of Utah
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, UT 84114-5801

RE:

Merger and Name Change from Enron Oil & Gas Company

Into EOG Resources, Inc.

Dear Ms. Risbeck:

On August 30, 1999, EOG Resources, Inc. merged with and into Enron Oil & Gas Company and Enron Oil & Gas Company changed its name to EOG Resources, Inc. An originally certified copy of the Certificate of Ownership and Merger evidencing this merger and name change was previously sent to you. As we discussed today, there are two wells, the CWU 590-16F, NWNW-16-T9S-R22E, 430473337200 and the CWU 596-9F, SWSE-9-T9S-R22E, 430473337400 that should have been included on the original well list we mailed October 6, 1999, but they were inadvertently left off.

Please change your records to reflect these two additional wells as operated by EOG Resources, Inc. If you have any questions or need any additional information, please contact me at the (713) 651-6714.

Sincerely, Deliberthanne

Debbie Hamre



WELL NAME		EOG PROPERTY #	API#
BRENNAN BOTTOMS 1-15	U-14639		430473101800
COTTONTAIL FED 1-18	U- 0575	000721000001	430473189900
COTTONWOOD FED 1-20	U-0575	003570000001	430473187500
CWU 1-04	U-15726	003665000001	430473066000
CWU 1-05 WASATCH	U- 15727	003666000001	430473066100
CWU 5-22	U-0284-A	003729000001	430471505100
CWU 7-10	U-0281	003742000001	430471505300
CWU 11-15	U-0283A	003667000001	430471505600
CWU 13-13	U-0282	003669000001	430471505800
CWU 15-11	U-0281	003671000001	430471506000
CWU 16-14	U-0282	003672000001	430471506100
CWU 17-25	U-0285A	003673000001	430471506200
CWU 20-28	U-0285A	003678000001	430471506500
CWU 21-23	U-0282	003680000001	430471506600
CWU 22-09	U-0283A	003683000001	430471506700
CWU 24-02	ML-3077	003701000001	430471506800
CWU 30-22	U-0284A	003709000001	430473022900
CWU 31-14	U-0282	003710000001	430473023200
CWU 32-21	U-0284A	003711000001	430473023300
CWU 33-16	ML-3078	003712000001	430473023400
CWU 34-28	SL-D65296	003713000001	430473023500
CWU 35-15	U-0283A	003714000001	430473023600
CWU 36-26	11-0285A	003715000001	430473026300
CWU 37-11	U-0281	003716000001	430473026400
CWU 38-09	U-0283A	003717000001	430473026500
CWU 39-16	ML-3078	003718000001	430473026800
CWU 40-27	L1-0344 A	003719000001	430473028700
CWU 42-13	11-0282	003721000001	430473028900
CWU 43-11	4-0281	003722000001	430473029000
CWU 44-10	4-0281	003723000001	430473029100
CWU 45-25	11-010956	003724000001	430473061200
CWU 47-30	11-0337	003726000001	430473061400
CWU 48-19	U-0337	003727000001	430473061500
CWU 49-25	U-0285A	003728000001	430473070200
CWU 52-33	U-0336	003732000001	430473071200
CWU 58-19	U-0337	003738000001	430473082700
CWU 217-23	U-0282	003681000001	430473115700
CWU 220-10	U-0281	003684000001	430473115400
CWU 224-10	U-0281	003685000001	430473121800
CWU 225-02	ML-3077	003686000001	430473130500
CWU 226-03	U-0281	003687000001	430473131200
CWU 227-03	U-0281	003688000001	430473131300
CWU 228-09	FEE	003689000001	430473131700
CWU 229-12	U-0282	003690000001	430473131500
CWU 231-14	U-0282	003692000001	430473131800
	-1 0	<u></u>	



	WELL NAME	EOG PROPERTY#	API#
CWU 232-15	U-0283A	003693000001	430473130900
CWU 233-15	U-0283A	003694000001	430473132000
CWU 234-23	4-0282	003695000001	430473131900
CWU 236-13 BC	U-0282	003697000001	430473139300
CWU 236-13 PP		003697000002	430473139300
CWU 237-22	U-0284	003698000001	430473139200
CWU 238-16	ML-3078	003699000001	430473138500
CWU 239-09	Й-D283Ă	003700000001	430473148300
CWU 240-16	ML-3078	003702000001	430473147100
CWU 241-16	ML-3078	003703000001	430473147200
CWU 244-25A CH	U-0285A	003707000002	430473155900
CWU 244-25A ISL		003707000001	430473155900
CWU 301-26	4-010966	019747000001	430473200200
CWU 302-2F	ML-3077	020089000001	430473321200
CWU 303-22	U-0284A	019748000001	430473200000
CWU 304-13	U-0282	019749000001	430473199900
CWU 306-27	Ü-0285A	021166000001	430473217500
CWU 307-28	U-0285A	021167000001	430473217600
CWU 308-21	U-0284A	021168000001	430473220000
CWU 310-9	U-0283A	024129000001	430473243900
CWU 311-26	U-0285A	021169000001	430473218000
CWU 312-23	4-0282	020022000001	430473209100
CWU 315-11F	4-0281	032567000001	430473332600
CWU 319-14	U-0282	020023000001	430473209600
CWU 320-11X	U-0281	024130000001	430473244800
CWU 321-26	U-028GA	020025000001	430473210000
CWU 323-22	U-0284A	020024000001	430473210100
CWU 324-22	U- 0284A	021172000001	430473220800
CWU 325-24N	U-0282	031378000001	430473306600
CWU 326-24	U-02 82	021628000001	430473227700
CWU 327-23	<i>u-0282</i>	021629000001	430473231900
CWU 328-24F	U-0282	032254000001	430473332100
CWU 332-10	U-0281	024131000001	430473243100
CWU 334-02	ML-3077	021630000001	430473231800
CWU 337-9N	FEE	021631000001	430473241400
CWU 339-25	4-010956	021173000001	430473220600
CWU 340-26N	U-0285A	024133000001	430473241900
CWU 341-21N	U-0284A	022029000001	430473237100
CWU 342-22	U-0284A	021198000001	430473221000
CWU 343-15N	U-0283A	022030000001	430473236900
CWU 344-23N	U-0282	022031000001	430473237000
CWU 345-9N	U-0283A	022032000001	430473237200
CWU 346-26N	U-0285A	022033000001	430473236800
CWU 347-26N	4-110956	022034000001	430473236700
CWU 348-23N	U-0282	022035000001	430473237300



CWU 409-11N U − D28 025927000001 490353264300 CWU 410-02N ML−3017 030389000001 430473289300 CWU 411-10N U − D28 025126000001 430473289300 CWU 416-24N SL−0717GL 025127000001 430473248400 CWU 429-22N U − D284H 025129000001 430473248500 CWU 430-22F U − D284H 0251310000001 430473248500 CWU 431-23F U − D282 025131000001 430473248600 CWU 432-12N U − D285H 02592900001 430473252300 CWU 433-28N U − D285H 025932000001 43047326400 CWU 432-24N W + D285H 025932000001 43047326400 CWU 435-24N U + D285H 025932000001 43047326300 CWU 440-14F U + D281 025925000001 430473265000 CWU 440-14F U + D281 030577000001 430473334800 CWU 441-11F U + D281 030577000001 430473295100 CWU 442-11F U + D281 030440000001 430473334800 CWU 444		WELL NAME		EOG PROPERTY #	API#
CWU 350-14N	CWU 349-27N		11-0285A	022036000001	430473237400
CWU 351-15N	CWU 350-14N			022037000001	430473237500
CWU 352-16	CWU 351-15N			022038000001	430473239000
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	CWU 352-16			032569000001	430473333000
CWU 355-13N	CWU 353-15F			025923000001	430473255500
CWU 358-23F	CWU 355-13N			025926000001	430473264400
CWU 359-27N U-D28-A O24135000001 430473243300 CWU 360-26N U-D28-A O24138000001 A30473243300 CWU 401-28F U-D28-A O24138000001 O280-A O280-A O280-A O28138000001 O280-A				025924000001	430473254800
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	CWU 359-27N			024135000001	430473243300
$\begin{array}{c} \text{CWU 364-15} & \textit{U} - \textit{DZ8} 3A \\ \textit{U} - \textit{DZ8} - \textit{M} & \text{O24138000001} \\ \text{CWU 401-28F} & \textit{U} - \textit{DZ8} - \textit{M} & \text{O31398000001} \\ \text{CWU 403-3N} & \textit{U} - \textit{DZ8} - \textit{M} & \text{O25124000001} \\ \text{CWU 403-3N} & \textit{U} - \textit{DZ8} - \textit{M} & \text{O25124000001} \\ \text{CWU 404-10N} & \textit{U} - \textit{DZ8} - \textit{M} & \text{O25125000001} \\ \text{CWU 407-16N} & \textit{ML} - \textit{3078} & \text{O32570000001} \\ \text{CWU 408-09N} & \textit{FEE} & \text{O30439000001} & \text{430473334700} \\ \text{CWU 409-11N} & \textit{U} - \textit{DZ8} - \textit{DZ8} - \textit{O25927000001} \\ \text{CWU 409-11N} & \textit{U} - \textit{DZ8} - \textit{DZ8} - \textit{O25927000001} \\ \text{CWU 410-02N} & \textit{M}_1 - \textit{3077} & \text{O30389000001} & \text{430473284300} \\ \text{CWU 411-10N} & \textit{U} - \textit{DZ8} - \textit{DZ8} - \textit{D25126000001} & \text{430473249600} \\ \text{CWU 411-10N} & \textit{U} - \textit{DZ8} - \textit{D25127000001} & \text{430473248400} \\ \text{CWU 429-22N} & \textit{U} - \textit{D28} - \textit{D25127000001} & \text{430473248400} \\ \text{CWU 430-22F} & \textit{U} - \textit{D28} - \textit{D28} - \textit{D25129000001} & \text{430473248400} \\ \text{CWU 431-23F} & \textit{U} - \textit{D28} - \textit{D28} - \textit{D25129000001} & \text{430473248600} \\ \text{CWU 431-23F} & \textit{U} - \textit{D28} - \textit{D28} - \textit{D25123000001} & \text{430473248600} \\ \text{CWU 432-21N} & \textit{U} - \textit{D28} - \textit{D28} - \textit{D25123000001} & \text{430473248600} \\ \text{CWU 433-28N} & \textit{U} - \textit{D28} - \textit{D28} - \textit{D25123000001} & \text{430473248600} \\ \text{CWU 433-28N} & \textit{U} - \textit{D28} - \textit{D28} - \textit{D25123000001} & \text{430473248600} \\ \text{CWU 433-11N} & \textit{U} - \textit{D28} - \textit{D28} - \textit{D2523000001} & \text{43047328300} \\ \text{CWU 443-11F} & \textit{U} - \textit{D28} - \textit{D28} - \textit{D2523000001} & \text{430473285100} \\ \text{CWU 444-11F} & \textit{U} - \textit{D28} - \textit{D28} - \textit{D2525000001} & \text{430473285100} \\ \text{CWU 444-10F} & \textit{U} - \textit{D28} - \textit{D28} - \textit{D30577000001} & \text{430473282500} \\ \text{CWU 443-11F} & \textit{U} - \textit{D28} - \textit{D28} - \textit{D30577000001} & \text{430473282500} \\ \text{CWU 443-11F} & \textit{U} - \textit{D28} - \textit{D28} - \textit{D30577000001} & \text{430473282500} \\ \text{CWU 443-11F} & \textit{U} - \textit{D28} - \textit{D28} - \textit{D3066000001} & \text{430473282500} \\ \text{CWU 445-14F} & \textit{U} - \textit{D28} - \textit{D28} - \textit{D3066000001} & \text{430473282500} \\ \text{CWU 445-14F} & \textit{U} - \textit{D28} - \textit{D28} - \textit{D3066000001} & \text{430473282500} \\ \text{CWU 445-14F} & \textit{U} - \textit{D28} - \textit{D28} - D30$	CWU 360-26N			024136000001	430473243200
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	CWU 364-15			024138000001	430473243600
CWU 403-3N	CWU 401-28F			031398000001	430473313300
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				025124000001	430473251000
CWU 407-16N	CWU 404-10N			025125000001	430473251100
CWU 408-09N CWU 409-11N CWU 409-11N CWU 410-02N ML-30-17 030389000001 490353264300 CWU 411-10N ML-30-17 030389000001 430473289300 CWU 411-10N ML-30-17 025127000001 430473249600 CWU 416-24N SL-071/76b 025127000001 430473248400 CWU 430-22P M-0284A 025139000001 430473248500 CWU 430-22F M-0284A 025130000001 430473248500 CWU 431-23F M-0284A 02513000001 430473248500 CWU 432-12N M-0284 025123000001 430473248500 CWU 432-12N M-0286 CWU 432-28N M-0287 M-0287 02592900001 430473250100 CWU 433-28N M-0287 M-0287 025939000001 430473264000 CWU 434-27N M-0287 025932900001 430473264000 CWU 435-24N M-0282 025931000001 430473264000 CWU 439-11N M-0281 025925000001 430473285100 CWU 440-14F M-0281 032571000001 430473285100 CWU 441-11F M-0281 032571000001 430473285100 CWU 443-11F M-0281 032571000001 430473285100 CWU 443-11F M-0281 030577000001 430473285100 CWU 443-11F M-0281 030666000001 430473334800 CWU 448-10F M-0281 030666000001 430473334800 CWU 448-10F M-0281 030666000001 430473295100 CWU 445-14F M-0282 027622000001 430473295200 CWU 458-15F M-0283A 030666000001 430473295200 CWU 458-15F M-0283A 030668000001 430473295200 CWU 458-15F M-0283A 030668000001 430473295200 CWU 460-16F ML-3078 032573000001 430473331400 CWU 460-24F SL-D11160 032255000001 430473331400 CWU 468-23F M-0283A 030668000001 430473331500 CWU 468-23F M-0283A 030668000001 430473331500 CWU 468-23F M-0284A 03039000001 430473295200 CWU 468-23F M-0284A 03039000001 430473295200 CWU 468-23F M-0284A 03039000001 430473285500 CWU 468-23F M-0284A 03039000001 430473285500 CWU 468-23F M-0284A 03039000001 430473285500 CWU 468-22E M-0284A 027630000001 430473285500	CWU 407-16N			032570000001	430473334700
CWU 410-02N	CWU 408-09N			030439000001	430473304300
CWU 410-02N	CWU 409-11N			025927000001	490353264300
CWU 411-10N	CWU 410-02N			030389000001	430473289300
CWU 416-24N CWU 429-22N CWU 429-22N CWU 430-22F CWU 430-22F CWU 431-23F CWU 432-12N CWU 432-12N CWU 432-12N CWU 432-12N CWU 432-12N CWU 432-12N CWU 433-28N CWU 433-28N CWU 434-27N A32789 CWU 435-24N CWU 435-24N CWU 439-11N CWU 439-11N CWU 440-14F CWU 440-14F CWU 441-11F CWU 442-11F CWU 443-11F CWU 445-16F CWU 455-15N CWU 455-15N CWU 456-16F CWU 457-15N CWU 458-16F CWU 468-28F CWU 462-24F CWU 463-28F CWU 463-28F CWU 462-24F CWU 463-28F CWU 463-28F CWU 463-28F CWU 463-28F CWU 468-28F CWU 468-28F CWU 468-22E CWU 469-22E	CWU 411-10N			025126000001	430473249600
CWU 430-22F W-D284 A 025130000001 430473248500 CWU 431-23F W-D282 025131000001 430473248600 CWU 432-12N U-D281 025123000001 430473252300 CWU 433-28N U-0285 A 002592900001 4304732641 CWU 434-27N 443, 147, 32789 U-0285 A 025930000001 430473264000 CWU 435-24N U-0282 025931000001 430473264000 CWU 439-11N U-0282 025932000001 430473263900 CWU 440-14F U-0282 025932000001 430473285100 CWU 441-11F U-0281 U-0281 030577000001 4304732334800 CWU 442-11F U-0281 030577000001 430473295100 CWU 443-11F U-0281 030666000001 430473282300 CWU 443-10F U-0281 030666000001 430473304500 CWU 445-14F U-0282 030666000001 430473282400 CWU 451-14F U-0282 030666000001 430473282400 CWU 451-14F U-0282 030666000001 430473295200 CWU 452-15N U-0282 030667000001 430473295200 CWU 453-15F U-0283 A 030667000001 430473295200 CWU 458-15F U-0283 B 030667000001 430473295400 CWU 458-15F U-0283 B 030668000001 430473295400 CWU 458-15F U-0283 B 030668000001 430473334900 CWU 462-24F SL-771160 0322573000001 430473331500 CWU 463-23F U-0284 B 03039000001 430473285500 CWU 463-22F U-0284 B 030390000001 430473285500 CWU 469-22E U-0284 B 027630000001 430473285500	CWU 416-24N			025127000001	430473250100
CWU 430-22F	CWU 429-22N		U-0284A	025129000001	430473248400
CWU 431-23F CWU 432-12N CWU 432-12N CWU 433-28N CWU 434-27N CWU 434-27N CWU 435-24N CWU 435-24N CWU 435-24N CWU 439-11N CWU 449-10F CWU 443-11F CWU 443-10F CWU 443-10F CWU 443-10F CWU 443-10F CWU 451-14F CWU 451-14F CWU 451-14F CWU 451-14F CWU 452-15N CWU 451-14F CWU 452-15N CWU 453-15F CWU 453-15N CWU 453-15P CWU 453-15P CWU 453-15P CWU 453-15P CWU 453-25P CWU 460-16F M - 282 CWU 460-22F CWU 464-23F CWU 464-22F CWU 469-22E CWU 469-22E CWU 469-22E CWU 469-22E	CWU 430-22F			025130000001	430473248500
CWU 432-12N CWU 433-28N U-0285A O02592900001 43047325400 CWU 435-24N U-0282 O25931000001 430473264000 CWU 435-24N U-0282 O25931000001 430473263900 CWU 439-11N II-0281 O25925000001 430473265100 CWU 440-14F U-0282 O25932000001 43047325200 CWU 441-11F U-0281 O32571000001 430473334800 CWU 442-11F U-0281 O30577000001 430473295100 CWU 443-11F U-0281 O27627000001 430473282300 CWU 448-10F U-0281 O30440000001 430473304400 CWU 449-10F U-0282 O27628000001 430473304500 CWU 451-14F U-0282 O27628000001 430473282400 CWU 454-14F U-0282 O30441000001 430473295400 CWU 457-15N U-0283A O30668000001 430473295400 CWU 458-15F U-0283A O30668000001 430473295400 CWU 460-16F ML-3078 O32572000001 430473334900 CWU 462-24F DL-DTIFG O32255000001 430473333100 CWU 463-23F U-0284 O27629000001 430473331500 CWU 464-23F U-0284A O30390000001 430473282500 CWU 467-22F U-0284A O30390000001 430473282500 CWU 469-22E U-0284A O27630000001 430473282500	CWU 431-23F			025131000001	430473248600
CWU 433-28N U-0285A 002592900001 4304732641 CWU 434-27N ★43.047.32789 U-0285A 025930000001 430473264000 CWU 435-24N U-0282 025931000001 430473263900 CWU 439-11N U-0281 025932000001 430473256200 CWU 440-14F U-0281 032571000001 430473334800 CWU 441-11F U-0281 030577000001 430473334800 CWU 442-11F U-0281 030577000001 430473282300 CWU 443-11F U-0281 030577000001 430473282300 CWU 448-10F U-0281 030440000001 430473304400 CWU 449-10F U-0281 030666000001 430473304500 CWU 451-14F U-0282 027628000001 430473282400 CWU 454-14F U-0282 030441000001 430473282400 CWU 458-15F U-0283A 030667000001 430473295400 CWU 460-16F ML-3078 032572000001 430473334900 CWU 462-24F SL-071160 032255000001 430473331500 CWU 46	CWU 432-12N			025123000001	430473252300
CWU 434-27N	CWU 433-28N			002592900001	4304732641
CWU 435-24N U-0282 025931000001 430473263900 CWU 439-11N U-0281 025932000001 430473285100 CWU 440-14F U-0282 025925000001 430473256200 CWU 441-11F U-0281 030577000001 430473334800 CWU 442-11F U-0281 030577000001 430473295100 CWU 443-11F U-0281 027627000001 430473282300 CWU 448-10F U-0281 030440000001 430473304500 CWU 451-14F U-0282 027628000001 430473282400 CWU 451-14F U-0282 027628000001 430473282400 CWU 451-14F U-0282 030441000001 430473282400 CWU 451-14F U-0282 030441000001 430473282400 CWU 451-14F U-0282 030667000001 430473295200 CWU 452-14F U-0283A 030667000001 430473295200 CWU 458-15F U-0283A 030668000001 430473295400 CWU 460-16F ML-3018 032572000001 430473331400 CWU 462-24F SL-01119 <td>CWU 434-27N</td> <td>*43:147:32789</td> <td></td> <td>025930000001</td> <td>430473264000</td>	CWU 434-27N	*43:147:32789		025930000001	430473264000
$\begin{array}{c} \text{CWU } 439\text{-}11\text{N} & \qquad $	CWU 435-24N			025931000001	430473263900
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			11-0281	025932000001	430473285100
CWU 442-11F			U-0282	025925000001	430473256200
CWU 443-11F			U-0281		430473334800
CWU 448-10F CWU 449-10F CWU 449-10F CWU 451-14F CWU 451-14F CWU 454-14F CWU 457-15N CWU 457-15N CWU 458-15F CWU 460-16F CWU 460-24F CWU 463-23F CWU 463-23F CWU 467-22F CWU 469-22E CWU 469-22F CWU 469-22F CWU 469-22E			U-0281		430473295100
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			U-0281	027627000001	430473282300
CWU 451-14F $U-0282$ 027628000001 430473282400 CWU 454-14F $U-0282$ 030441000001 430473291400 CWU 457-15N $U-0283A$ 030667000001 430473295200 CWU 458-15F $U-0283A$ 030668000001 430473295400 CWU 460-16F $U-0283A$ 032572000001 430473334900 CWU 462-24F $U-0282$ 032255000001 430473331400 CWU 463-23F $U-0282$ 027629000001 430473331500 CWU 464-23F $U-0282$ 032573000001 430473331500 CWU 465-23 $U-0282$ 030669000001 430473292500 CWU 467-22F $U-0284A$ 030390000001 430473289500 CWU 469-22E $U-0284A$ 030390000001 430473289500 CWU 469-22E $U-0284A$ 027630000001 430473282500				i i	430473304400
CWU 454-14F U-0282 030441000001 430473291400 CWU 457-15N U-0283A 030667000001 430473295200 CWU 458-15F U-0283A 030668000001 430473295400 CWU 460-16F ML-3078 032572000001 430473334900 CWU 462-24F SL-071190 032255000001 430473331400 CWU 463-23F U-0284 027629000001 430473284100 CWU 465-23 U-0282 030669000001 430473292500 CWU 467-22F U-0284A 030390000001 430473289500 CWU 469-22E U-0284A 027630000001 430473282500			U-0281	030666000001	430473304500
CWU 457-15N			U-0282		430473282400
CWU 458-15F \[\begin{array}{cccccccccccccccccccccccccccccccccccc			4-0282	030441000001	430473291400
CWU 460-16F ML-3078 032572000001 430473334900 CWU 462-24F SL-071790 032255000001 430473331400 CWU 463-23F U-0282 032573000001 430473284100 CWU 464-23F U-0282 032573000001 430473284100 CWU 465-23 U-0282 030669000001 430473292500 CWU 467-22F U-0284A 030390000001 430473282500 CWU 469-22E U-0284A 027630000001 430473282500			U-0283A	030667000001	430473295200
CWU 460-16F CWU 462-24F CWU 463-23F CWU 464-23F CWU 465-23 CWU 465-23 CWU 467-22F CWU 469-22E ML-3078 032572000001 430473331400 032629000001 430473284100 430473331500 430473331500 430473292500 CWU 467-22F CWU 469-22E U-0284A 027630000001 430473282500					
CWU 463-23F U-0282 027629000001 430473284100 CWU 464-23F U-0282 032573000001 430473281500 CWU 465-23 U-0282 030669000001 430473292500 CWU 467-22F U-0284A 027630000001 430473282500			ML-3078		
CWU 464-23F			SL-071796		
CWU 464-23F			4-0282		430473284100
CWU 467-22F	CWU 464-23F			1	430473331500
CWU 469-22E	CWU 465-23		4-0282		430473292500
CWU 469-22E	CWU 467-22F		U-0284A		430473289500
	CWU 469-22E				430473282500
	CWU 471-21F			031399000001	430473314100

LA IN ERROR



	WELL NAME	EOG PROPERTY#	API#
CWU 474-21F	U-0284A	032574000001	430473333100
CWU 477-27F	U-0285A	030391000001	430473289700
CWU 479-26F	U-0285A	027631000001	430473282600
CWU 480-26F	U-0285A	030388000001	430473289600
CWU 482-09F	U-0283A	030392000001	430473289400
CWU 483-15F	U-0283A	030665000001	430473295300
CWU 485-26F	U-0285A	030670000001	430473292700
CWU 486-2F	ML-3077	030576000001	430473294900
CWU 487-09F	U-0283A	030617000001	430473295000
CWU 488-13F	V-0282	030570000001	430473292200
CWU 490-16N	mL-3078	030615000001	430473295500
CWU 491-16N	ML-3078	030618000001	430473295600
CWU 492-16F	ML-3078	030616000001	430473295700
CWU 494-22F	U-0284A	030444000001	430473291500
CWU 495-25N	U-0285A	030673000001	430473304700
CWU 496-21E	U-0284A	030614000001	430473295800
CWU 497-24F	U-0282	030674000001	430473304600
CWU 498-25E	U-010956	030575000001	430473304800
CWU 499-24F	U-0282	030672000001	430473292600
CWU 505-28F	U-023998	031400000001	430473318000
CWU 506-27F	U-0285A	031401000001	430473283300
CWU 507-26F	4010956	032444000001	430473333200
CWU 511-24F	U-0282	031379000001	430473305900
CWU 514-23F	U-0282	031380000001	430473305800
CWU 516-21F	U-0284A	031382000001	430473313700
CWU 517-16F	ML-3078	032257000001	430473317100
CWU 518-16F	mL-3078	031402000001	430473313800
CWU 520-15F	U-0283A	031381000001	430473312700
CWU 521-15F	U-0283 A	032258000001	430473329600
CWU 522-15F	U-0283A	032242000001	430473323600
CWU 523-14F	U-0282	032259000001	430473329700
CWU 524-13F	U-0282	031403000001	430473311500
CWU 531-11F	U-0281	032260000001	430473329800
CWU 532-10F	U-0281	031407000001	430473326500
CWU 534-9F	U-0283A	031408000001	430473327400
CWU 535-9F	FEE	032220000001	430473327500
CWU 536-09F	FEE	031409000001	430473314300
CWU 538-3N	U-0281	031410000001	430473312500
CWU 542-3	U-0281	032221000001	430473321300
CWU 543-3	U-0281	032222000001	430473327100
CWU 544-02F	ML-3077	032576000001	430473335100
CWU 547-2F	ML-3077	031412000001	430473313600
CWU 549-19F	U-0337	031383000001	430473306800
CWU 550-30N	U-0337	031384000001	430473311600
CWU 555-10F	U-028/	031385000001	430473323700



WELL NAI	ME	EOG PROPERTY#	API#
CWU 556-11F	U-0281	031414000001	430473330100
CWU 558-14F	4-0282	031386000001	430473310500
CWU 559-14F	U-0282	031387000001	430473310600
CWU 560-14F	U-0282	031416000001	430473311700
CWU 561-14F	U-0282	031417000001	430473311800
CWU 563-27F	U-0285A	031419000001	430473276900
CWU 564-16F	ML-3078	031388000001	430473312600
CWU 565-28F	U-0285A	031245000001	430473306700
CWU 566-22F	U-0284A	031420000001	430473311900
CWU 570-02F	ML-3077	031746000001	430473335200
CWU 571-9F	U-0283A	031747000001	430473326600
CWU 572-10F	U-0281	031748000001	430473326700
CWU 573-11F	4-0281	031749000001	430473330200
CWU 574-12N	U-0281	031750000001	430473330300
CWU 575-13F	4-0282	031751000001	430473331600
CWU 576-14F	4-0283	031752000001	430473321500
CWU 577-22F	U-0284A	031753000001	430473332700
CWU 578-22F	U-0284A	031754000001	430473331700
CWU 579-23F	4-0282	031755000001	430473331800
CWU 580-23F	LI-0282	031756000001	430473331900
CWU 582-1N	U-01458	031758000001	430473323500
CWU 584-13F	U-0282	032261000001	430473332200
CWU 585-2	ML-3077	032223000001	430473321600
CWU 586-4	U-0283A	032224000001	430473326800
CWU 589-28	U-0285A	032262000001	430473332800
CWU 591-23F	4-0282	032577000001	430473332000
CWU 592-11F	'U-0281	032578000001	430473332900
CWU 593-11F	U-0281	032579000001	430473335400
DC 1-11 GR	U-27042	003747000001	430473032600
DC 2-10 GR	U-27042	003758000001	430473043400
DC 4-17 GR	U-38400	003780000001	430473064200
DC 60-29	U-24230	003804000001	430473109300
DC 61-29	U-24230	003805000001	430473126300
HARLEY GOVT #1	Petro-X JK W. A.	009856000001	430191504600
HOME FEDERAL #1-34	U-3405	006503000001	430473022300
HOME FEDERAL #1-34 WAS		006503000002	430473022300
LTL PAP 1-26 B5	U-43156	010439000001	430473177900
TL PAP 1-26 RED	77,750	010439000002	430473177900
N CHAPITA 2-5	Fee	031873000001	430473321100
NATURAL COTTON 11-20	U-1875	023868000001	430473243000
NATURAL COTTON 12-17	4-0575	025208000001	430473246300
NATURAL COTTON 13-20	U-0575	023863000001	430473242900
NATURAL COTTON 14-08	U-0575	023867000001	430473242800
NATURAL COTTON 23-18	U-0581	023866000001	430473242700
NATURAL COTTON 23-28	40576	023864000001	430473242500



WELL NAME		EOG PROPERTY#	API#
NATURAL COTTON 34-21	U-0576	023865000001	430473242600
NATURAL COTTON 43-16	ML-3282	025207000001	430473046800
NBU 1-07B	2	004478000001	430473026100
NBU 2-15B		004489000001	430473026200
NBU 3-02B		004524000001	430473026700
NBU 4-35B		004538000001	430473027300
NBU 5-36B		004550000001	430473027200
NBU 7-09B		004573000001	430473027800
NBU 8-20B		004576000001	430473027500
NBU 10-29B		004479000001	430473027400
NBU 11-14B	11-0577A	004480000002	430473029200
NBU 11-14B WAS			430473029200
NBU 12-23B M4	U-0577A	004481000002	430473030800
NBU 13-08B	0.001111	004482000001	430473029400
NBU 14-30	U-0581	004483000001	430473029500
NBU 15-29B	U1 0 251	004484000001	430473029600
NBU 16-06B		004485000001	430473031600
NBU 17-18B		004486000001	430473031700
NBU 19-21B		004488000001	430473032800
NBU 20-01B		004490000001	430473031900
NBU 21-20B WDW		004497000001	430473035900
NBU 25-20B		004516000001	430473036300
NBU 26-13B		004517000001	430473036400
NBU 27-01B	U-02270A	004518000002	430473038100
NBU 28-04B	0. 022 1011	004521000001	430473036700
NBU 29-05B		004523000001	430473036800
NBU 30-18		004526000001	430473038000
NBU 31-12B BC		004528000002	430473038500
NBU 31-12B ISL		004528000001	430473038500
NBU 33-17B		004531000001	430473039600
NBU 34-17B		000350000001	430473040400
NBU 35-08B		004533000001	430473039700
NBU 36-07B		004534000001	430473039900
NBU 37-13B	U-0579	004535000001	430473040000
NBU 38-22B	U-0577A	004536000001	430473040100
NBU 48-29B	DI U	004547000001	430473054200
NBU 48-29B		004547000002	430473054200
NBU 49-12B		004548000001	430473047000
NBU 52-01B		004553000001	430473047300
NBU 53-03B		004555000001	430473047400
NBU 54-02B		004556000001	430473047500
NBU 55-10B		004557000001	430473046500
NBU 57-12B		004559000001	430473046300
NBU 58-23B		004560000001	430473046200
NBU 62-35B		004565000001	430473047700



WELL NAME	EOG PROPERTY#	API#
NBU 63-12B	004566000001	430473046600
NBU 70-34B	004574000001	430473057700
NBU 71-26B	004575000001	430473057800
NBU 202-03	004493000001	430473115000
NBU 205-08	004494000001	430473123800
NBU 206-09	004495000001	430473116500
NBU 207-04	004496000001	430473117700
NBU 210-24	004498000001	430473115300
NBU 211-20	004499000001	430473115600
NBU 212-19	00450000001	430473126700
NBU 213-36	004501000001	430473126800
NBU 217-02	004505000001	430473128200
NBU 218-17	004506000001	430473131000
NBU 219-24	004507000001	430473130800
NBU 301-24E	020165000001	430473213100
NBU 302-9E	019750000001	430473201000
NBU 304-18E	020166000001	430473213000
NBU 305-07E	020167000001	430473213500
NBU 306-18E	021473000001	430473228200
NBU 307-6E	019751000001	430473201400
NBU 308-20E	021203000001	430473220200
NBU 309-20E	021295000001	430473228300
NBU 311-23E	021205000001	430473220300
NBU 313-29E	021832000001	430473237800
NBU 314-03E	021404000001	430473227100
NBU 316-17E	021935000001	430473238100
NBU 317-12E	021938000001	430473236200
NBU 318-36E	021204000001	430473220400
NBU 321-10E	021943000001	430473237900
NBU 322-15E	031312000001	430473313900
NBU 325-8E	021940000001	430473237600
NBU 328-13E	021944000001	430473238600
NBU 329-29E	021532000001	430473222900
NBU 331-35E	020174000001	430473214700
NBU 332-08E	020175000001	430473214800
NBU 333-2E	021405000001	430473251800
NBU 335-23E	021406000001	430473226500
NBU 336-24E	021407000001	430473226400
NBU 339-19E	021533000001	430473228100
NBU 340-20E	021408000001	430474232700
NBU 341-29E	022179000001	430474232700
NBU 342-35E	021206000001	
NBU 343-36E		430473221200
NBU 349-07E	021207000001	430473220500
NBU 352-10E	021534000001	430473232600
NDO JUZ-TUE	021937000001	430473251900



WELL NAME		EOG PROPERTY#	API#	
NBU 356-29E		021834000001	430473238300	
NBU 358-1E		021942000001	430473238800	
NBU 360-13E		021945000001	430473238700	
NBU 382-18E		031002000001	430473306400	
NBU 386-24E		031005000001	430473305600	
NBU 388-19E		031134000001	430473305700	
NBU 389-29E		031344000001	430473304900	
NBU 390-4E		031316000001	430473283500	
NBU 391-05E		031007000001	430473298800	
NBU 393-13E		031008000001	430473307100	
NBU 394-13E		031009000001	430473307200	
NBU 400-11E		025576000001	430473254400	
NBU 431-09E		031135000001	430473306900	
NBU 481-03E		031136000001	430473306300	
NBU 483-19E		031137000001	430473306500	
NBU 489-07E		031329000001	4304733/21	
NBU 490-30E	2. U-0581	031330000001	430473313500	
NBU 497-1E	- UI U - 31	031337000001	430473312300	
NBU 506-23E		031342000001	430473314000	
NBU 508-8E		031300000001	430473312400	
NBU STATE 1-32G	ML-22261	004470000001	430473031500	
NBU STATE 2-36G	- CLEO!	004471000001	430473051500	
NDC 69-29 ORI	U-24230	010915000001	430473158000	
NDK STORAGE		024739000001		
NDU 1-28	U-0576	004581000001	430473126900	
OSCU II 1-34	4-49523	019777000001	430473203900	
OSCU II 2-27 (DEV)	U-49518	001727000001	430473189800	
OSCU II FED #1	4-49518	011041000001	430473172200	
STG 1-32	ML-3085	005915000001	430471507100	
STG 2-28	U-0803	005928000001	430471507200	
STG 6-20	Indian	005936000001	430471507500	
STG 11-22	U-0259100	005919000001	430472019300	
STG 14-34	4-9613	005922000001	430473059400	
STG 15-27	U-0803	005923000001	430473060400	
STG 18-17	Fee	005926000001	430473061100	
STG 19-33	4-9613	005927000001	430473065700	
STG 21-08	U-0283	005930000001	430473065900	
STG 22-17	Indian	005931000001	430473129900	
STG 33-17N	Indian	024128000001	430473244100	
STG 41-20	U-019362A	021175000001	430473228000	
STG 44-8N	U-0283	025122000001	430473252000	
STG 48-17F	Indian	031389000001	430473272800	
STG 50-20F	11-019362	031390000001	430473310400	
STG 51-20F	Indian	031391000001	430473312000	
STG 52-08N	U-0283	031745000001	430473283400	



WELL NAME		EOG PROPERTY #	API#	
STG 53-08N	U-0283	032264000001	430473268200	
STG 56-20F	Indian	032265000001	430473337000	
STG 57-08N	U-0283	032266000001	430473337100	
WILD HORSE FED 2-26	U-3405	008266000001	430473188200	
WILD HORSE FED 2-35	U-3405	019139000001	430473190100	
WILD HORSE FED 3-26	U-43156	021869000001	430473237700	
WILD HORSE FED 3-35	U-3405	021871000001	430473238900	

Division of Oil, Gas an	d Mining					ROUTING:	
OPERATOR CHANGE WORKSHEET						1-KDR	6-KAS
Attach all documentation received by the Division regarding this change.						2-GLH	9801
						3-JRB	8-FILE
Initial each listed item when completed. Write N/A if item is not applicable.						4-CDW	
☐ Change of Ope	erator (Well Sold)	☐ Designa	tion of Agent		i	5-KDR	
☐ Designation of	Operator	XX Operato	r Name Change	e Only (M	ERGER)		
The operator of th	e well(s) listed below has	s changed, eff	ective: <u>8–30</u> –	-99	<u>. </u>		
TO:(New Operato	or) EOG RESOURCES IN	ic	FROM:(Old	Operator)	ENRON O	IL & GAS C	OMP A NIT
Address:	P.O. BOX 4362		•	ress:	P.O. BO		OHI ANI
	HOUSTON, TX 772	210-4362				, TX 7721	0-4362
	DEBBIE HAMRE				DEBBIE		
	Phone: (713)651-6 Account No. N9550			•		713)651-67 No. N0401	14
•	Account No. Ny550	<u>) </u>			Account	NO. <u>NU4U1</u>	
LL(S): Attach a	dditional page(s) if needed.						
Name: **SEE ATT	'ACHED** API:	1304733	20 Entity:	s <i>15</i>	T <i>95</i> №	₹Lease:	
Name:	API:		Entity:	s	_TR_	Lease:	
	API:_ API:	-	Entity: Entity:		_TR T R	Lease: Lease:	
. T	API:_ API:		Entity:	s	T R	Lease:	
Name:	API:		Entity:	S	_TR	Lease:	
OPERATOR CH	ANGE DOCUMENTA	TION					
	49-8-10) Sundry or other lends on 10:7.99.	egal documenta	ntion has been re	ceived from	n the FORI	MER operator	r (attach to this
2. (R6	49-8-10) Sundry or other le	egal documenta	ation has been re	ceived fror	n the NEW	operator on _	10.7.99.
DK 3. The	new company has been lo	akad un in tha	Donautmant of A	Cammana	Division	of Componentia	ona Databasa
if th	new company has been to be new operator above is no /No If yes, the company firator on	ot currently ope	rating any wells	in Utah. I	s the operat	or registered	with the State?
1.	eral and Indian Lease Wed above involving Federal	1/ T 1* 1		12 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ON LACA		
$ \begin{array}{ccc} & \text{H} & 5 & \text{Fed} \\ & & \text{and} \\ & \text{H} & 6. & \text{Fed} \end{array} $	eral and Indian Units. The all wells listed above invo	he BLM and/or lving unit opera	the BIA has appartions. (NUM)	oroved the	operator cha	ange for the _ - b/w app	unit
	eral and Indian Commun rator change for CA (Feder						
	or wells located on a CA (s mpson at the S.L. Office b			undry notic	ce of all we	lls involved to) Teresa
				··-	 	<u>-</u>	······································

7.	Underground Injection Control ("UIC") Program. The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project and/or for the water disposal well(s) listed above. * Ned 1 for 43.
KDR 8.	Changes have been entered in the Oil and Gas Information System for each well listed on 1:31:200 3:10:00 (Gy)
9.	Changes have been entered in RBDMS for each water/gas injection, water disposal well listed on
10.	Changes have been included on the monthly "Operator, Address, and Account Changes" memo on
<u>for</u> 11.	An Operator Change File has been set up, and a copy of this page has been placed there for reference during routing and processing of the original documents.
ENTITY R	EVIEW
<u>DL</u> 2.	(R649-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? Yes/No If entity assignments were changed, attach copies of Form 6, Entity Action Form.
<u>D</u> 2.	Tax Commission, Trust Lands, and Forestry, Fire & State Lands have been notified through normal procedures of entity changes.
BOND VER	RIFICATION - (FEE LEASE WELLS)
DR 1.	(R649-3-1) The NEW operator of any fee lease well(s) listed above has furnished a proper bond. HALL HIT - 1230 Iff 10.4.99 St., Paul Fire & Maurie (80,000) A copy of this form has been placed in the new and former operator's bond files on
	The FORMER operator has requested a release of liability from their bond as of todays date \(\lambda b, \(\lambda \lambda \text{Lider} \). If yes, Division response was made to this request by letter dated (see bond file).
EASE INT	EREST OWNER NOTIFICATION OF RESPONSIBILITY
<u>DP</u> 1.	E-mail sent on to at SITLA for changes involving State leases. (Wait two weeks before changing, unless the Division hears otherwise.) (8), (100) Statewide) St. faul fire manner
<u>DL</u> 2.	(R649-2-10) The Former operator of any Fee lease wells listed above has been contacted and informed by letter dated 2 1 2000, of their responsibility to notify all interest owners of this change.
ILMING 1.	All attachments to this form have been microfilmed on APR 24 2001.
ILING 1.	Copies of all attachments pertaining to each individual well have been filed in each well file.
2.	The original of this form, and the original attachments have been filed in the Operator file(s).
OMMENT	S